

Source Pathway - Source Inputs

AERMOD

Area Sources

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Length of X Side [m]	Length of Y Side [m]	Orientation Angle from North [deg]	Initial Vertical Dim. [m]
AREA	V3	594053.05	355506.08	147.94	1.00	0.00078	3.55	6.14	30.00	
		Sijātājs - škirotājs un apstrādes procesi								
AREA	V4	594051.30	355520.95	147.88	1.00	0.00067	3.55	6.14	30.00	0.00
		Drupinātājs - škirotājs un apstrādes procesi								

Source Pathway - Source Inputs

AERMOD

Polygon Area Sources

Source Type: AREA POLY

Source: V1 (Segkārtas noņemšana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
143.52	1.00	2.20E-6		9	593859.03	355711.42
		2.20E-6			593927.58	355811.67
		2.20E-6			594184.61	355672.01
		2.20E-6			594200.03	355627.46
		2.20E-6			594086.94	355433.83
		2.20E-6			593925.86	355500.66
		2.20E-6			593937.00	355531.50
		2.20E-6			593934.43	355676.30
		2.20E-6			593865.89	355707.14

Source Type: AREA POLY

Source: V7 (Uzglabāšanas laukums)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
149.00	1.00	1.12E-7	0.00	4	594084.32	355434.48
		1.12E-7			594057.26	355446.01
		1.12E-7			594093.67	355510.20
		1.12E-7			594120.21	355497.64

Source Pathway - Source Inputs

AERMOD

Source Type: AREA POLY

Source: V2 (Ekskavators un pārkraušana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
149.37	1.00	2.45E-6		5	594082.91	355436.92
		2.45E-6			593929.81	355502.34
		2.45E-6			593940.43	355530.42
		2.45E-6			593939.40	355580.77
		2.45E-6			594122.30	355501.99

Source Type: AREA POLY

Source: V5 (Frontālais un pārkraušana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
149.37	1.00	5.28E-7	0.00	5	594082.91	355436.92
		5.28E-7			593929.81	355502.34
		5.28E-7			593940.43	355530.42
		5.28E-7			593939.40	355580.77
		5.28E-7			594122.30	355501.99

Source Pathway - Source Inputs

AERMOD

Line Volume Sources

Source Type: LINE VOLUME

Source: V6 (Transportēšanas maršruts)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.06680		594069.84	355513.15	148.15	2.98
			594067.57	355584.69	154.59	2.98
			594046.77	355638.53	156.55	2.98
			594014.82	355690.58	151.51	2.98
			593959.68	355747.83	148.12	2.98
			593906.25	355782.10	143.53	2.98
			593886.11	355791.75	140.71	2.98

Source Type: LINE VOLUME

Source: V8 (Kravas mašīnas pa P28)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.00034		592043.39	355463.10	123.10	2.98
			592280.20	355422.71	111.09	2.98
			592725.65	355371.44	110.50	2.98
			593020.48	355310.55	125.38	2.98
			593363.37	355259.27	133.45	2.98
			593565.26	355256.07	134.91	2.98
			593645.38	355393.87	138.28	2.98
			593796.00	355656.65	141.36	2.98
			593901.75	355845.72	141.53	2.98
			594004.30	355919.43	141.60	2.98
			594135.69	355951.48	142.11	2.98
			594318.35	355961.09	141.82	2.98
			594481.79	355980.32	141.62	2.98
			594642.02	356034.80	140.45	2.98
			594779.82	356134.14	136.59	2.98
			595059.66	356372.98	132.28	2.98

Source Pathway - Source Inputs

AERMOD

Source Type: LINE VOLUME

Source: V8 (Kravas mašīnas pa P28)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.00034		595314.17	356582.74	131.60	2.98
			595535.12	356694.61	126.13	2.98
			595857.79	356817.61	117.92	2.98
			596021.90	356913.81	114.37	2.98

Source Pathway - Source Inputs

AERMOD

Volume Sources Generated from Line Sources

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009268	592047.83	355462.34	122.88	2.98	1.31E-6	9.00		8.37	2.77
	L0009269	592065.57	355459.31	121.98	2.98	1.31E-6	9.00		8.37	2.77
	L0009270	592083.31	355456.29	121.08	2.98	1.31E-6	9.00		8.37	2.77
	L0009271	592101.06	355453.26	120.18	2.98	1.31E-6	9.00		8.37	2.77
	L0009272	592118.80	355450.24	119.28	2.98	1.31E-6	9.00		8.37	2.77
	L0009273	592136.55	355447.21	118.38	2.98	1.31E-6	9.00		8.37	2.77
	L0009274	592154.29	355444.18	117.48	2.98	1.31E-6	9.00		8.37	2.77
	L0009275	592172.03	355441.16	116.58	2.98	1.31E-6	9.00		8.37	2.77
	L0009276	592189.78	355438.13	115.68	2.98	1.31E-6	9.00		8.37	2.77
	L0009277	592207.52	355435.11	114.78	2.98	1.31E-6	9.00		8.37	2.77
	L0009278	592225.27	355432.08	113.88	2.98	1.31E-6	9.00		8.37	2.77
	L0009279	592243.01	355429.05	112.98	2.98	1.31E-6	9.00		8.37	2.77
	L0009280	592260.75	355426.03	112.08	2.98	1.31E-6	9.00		8.37	2.77
	L0009281	592278.50	355423.00	111.18	2.98	1.31E-6	9.00		8.37	2.77
	L0009282	592296.37	355420.85	111.07	2.98	1.31E-6	9.00		8.37	2.77
	L0009283	592314.25	355418.79	111.04	2.98	1.31E-6	9.00		8.37	2.77
	L0009284	592332.13	355416.73	111.02	2.98	1.31E-6	9.00		8.37	2.77
	L0009285	592350.01	355414.68	111.00	2.98	1.31E-6	9.00		8.37	2.77
	L0009286	592367.89	355412.62	110.97	2.98	1.31E-6	9.00		8.37	2.77
	L0009287	592385.77	355410.56	110.95	2.98	1.31E-6	9.00		8.37	2.77
	L0009288	592403.66	355408.50	110.93	2.98	1.31E-6	9.00		8.37	2.77
	L0009289	592421.54	355406.44	110.90	2.98	1.31E-6	9.00		8.37	2.77
	L0009290	592439.42	355404.38	110.88	2.98	1.31E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V8	L0009291	592457.30	355402.33	110.86	2.98	1.31E-6	9.00		8.37	2.77
	L0009292	592475.18	355400.27	110.83	2.98	1.31E-6	9.00		8.37	2.77
	L0009293	592493.07	355398.21	110.81	2.98	1.31E-6	9.00		8.37	2.77
	L0009294	592510.95	355396.15	110.78	2.98	1.31E-6	9.00		8.37	2.77
	L0009295	592528.83	355394.09	110.76	2.98	1.31E-6	9.00		8.37	2.77
	L0009296	592546.71	355392.03	110.74	2.98	1.31E-6	9.00		8.37	2.77
	L0009297	592564.59	355389.98	110.71	2.98	1.31E-6	9.00		8.37	2.77
	L0009298	592582.48	355387.92	110.69	2.98	1.31E-6	9.00		8.37	2.77
	L0009299	592600.36	355385.86	110.67	2.98	1.31E-6	9.00		8.37	2.77
	L0009300	592618.24	355383.80	110.64	2.98	1.31E-6	9.00		8.37	2.77
	L0009301	592636.12	355381.74	110.62	2.98	1.31E-6	9.00		8.37	2.77
	L0009302	592654.00	355379.68	110.59	2.98	1.31E-6	9.00		8.37	2.77
	L0009303	592671.89	355377.63	110.57	2.98	1.31E-6	9.00		8.37	2.77
	L0009304	592689.77	355375.57	110.55	2.98	1.31E-6	9.00		8.37	2.77
	L0009305	592707.65	355373.51	110.52	2.98	1.31E-6	9.00		8.37	2.77
	L0009306	592725.53	355371.45	110.50	2.98	1.31E-6	9.00		8.37	2.77
	L0009307	592743.16	355367.82	111.38	2.98	1.31E-6	9.00		8.37	2.77
	L0009308	592760.79	355364.18	112.27	2.98	1.31E-6	9.00		8.37	2.77
	L0009309	592778.42	355360.54	113.16	2.98	1.31E-6	9.00		8.37	2.77
	L0009310	592796.05	355356.90	114.05	2.98	1.31E-6	9.00		8.37	2.77
	L0009311	592813.67	355353.26	114.94	2.98	1.31E-6	9.00		8.37	2.77
	L0009312	592831.30	355349.62	115.83	2.98	1.31E-6	9.00		8.37	2.77
	L0009313	592848.93	355345.98	116.72	2.98	1.31E-6	9.00		8.37	2.77
	L0009314	592866.56	355342.34	117.61	2.98	1.31E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009315	592884.19	355338.70	118.50	2.98	1.31E-6	9.00		8.37	2.77
	L0009316	592901.81	355335.06	119.39	2.98	1.31E-6	9.00		8.37	2.77
	L0009317	592919.44	355331.41	120.28	2.98	1.31E-6	9.00		8.37	2.77
	L0009318	592937.07	355327.77	121.17	2.98	1.31E-6	9.00		8.37	2.77
	L0009319	592954.70	355324.13	122.06	2.98	1.31E-6	9.00		8.37	2.77
	L0009320	592972.33	355320.49	122.95	2.98	1.31E-6	9.00		8.37	2.77
	L0009321	592989.95	355316.85	123.84	2.98	1.31E-6	9.00		8.37	2.77
	L0009322	593007.58	355313.21	124.73	2.98	1.31E-6	9.00		8.37	2.77
	L0009323	593025.26	355309.83	125.49	2.98	1.31E-6	9.00		8.37	2.77
	L0009324	593043.06	355307.17	125.91	2.98	1.31E-6	9.00		8.37	2.77
	L0009325	593060.86	355304.51	126.33	2.98	1.31E-6	9.00		8.37	2.77
	L0009326	593078.66	355301.85	126.75	2.98	1.31E-6	9.00		8.37	2.77
	L0009327	593096.46	355299.19	127.17	2.98	1.31E-6	9.00		8.37	2.77
	L0009328	593114.27	355296.52	127.59	2.98	1.31E-6	9.00		8.37	2.77
	L0009329	593132.07	355293.86	128.01	2.98	1.31E-6	9.00		8.37	2.77
	L0009330	593149.87	355291.20	128.43	2.98	1.31E-6	9.00		8.37	2.77
	L0009331	593167.67	355288.54	128.84	2.98	1.31E-6	9.00		8.37	2.77
	L0009332	593185.47	355285.88	129.26	2.98	1.31E-6	9.00		8.37	2.77
	L0009333	593203.28	355283.21	129.68	2.98	1.31E-6	9.00		8.37	2.77
	L0009334	593221.08	355280.55	130.10	2.98	1.31E-6	9.00		8.37	2.77
	L0009335	593238.88	355277.89	130.52	2.98	1.31E-6	9.00		8.37	2.77
	L0009336	593256.68	355275.23	130.94	2.98	1.31E-6	9.00		8.37	2.77
	L0009337	593274.48	355272.57	131.36	2.98	1.31E-6	9.00		8.37	2.77
	L0009338	593292.29	355269.90	131.78	2.98	1.31E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V8	L0009339	593310.09	355267.24	132.20	2.98	1.31E-6	9.00		8.37	2.77
	L0009340	593327.89	355264.58	132.61	2.98	1.31E-6	9.00		8.37	2.77
	L0009341	593345.69	355261.92	133.03	2.98	1.31E-6	9.00		8.37	2.77
	L0009342	593363.50	355259.27	133.45	2.98	1.31E-6	9.00		8.37	2.77
	L0009343	593381.49	355258.99	133.58	2.98	1.31E-6	9.00		8.37	2.77
	L0009344	593399.49	355258.70	133.71	2.98	1.31E-6	9.00		8.37	2.77
	L0009345	593417.49	355258.42	133.84	2.98	1.31E-6	9.00		8.37	2.77
	L0009346	593435.49	355258.13	133.97	2.98	1.31E-6	9.00		8.37	2.77
	L0009347	593453.49	355257.84	134.10	2.98	1.31E-6	9.00		8.37	2.77
	L0009348	593471.48	355257.56	134.23	2.98	1.31E-6	9.00		8.37	2.77
	L0009349	593489.48	355257.27	134.36	2.98	1.31E-6	9.00		8.37	2.77
	L0009350	593507.48	355256.99	134.49	2.98	1.31E-6	9.00		8.37	2.77
	L0009351	593525.48	355256.70	134.62	2.98	1.31E-6	9.00		8.37	2.77
	L0009352	593543.47	355256.42	134.75	2.98	1.31E-6	9.00		8.37	2.77
	L0009353	593561.47	355256.13	134.88	2.98	1.31E-6	9.00		8.37	2.77
	L0009354	593572.41	355268.35	135.21	2.98	1.31E-6	9.00		8.37	2.77
	L0009355	593581.45	355283.91	135.59	2.98	1.31E-6	9.00		8.37	2.77
	L0009356	593590.50	355299.47	135.97	2.98	1.31E-6	9.00		8.37	2.77
	L0009357	593599.55	355315.03	136.35	2.98	1.31E-6	9.00		8.37	2.77
	L0009358	593608.59	355330.60	136.73	2.98	1.31E-6	9.00		8.37	2.77
	L0009359	593617.64	355346.16	137.11	2.98	1.31E-6	9.00		8.37	2.77
	L0009360	593626.69	355361.72	137.49	2.98	1.31E-6	9.00		8.37	2.77
	L0009361	593635.74	355377.28	137.87	2.98	1.31E-6	9.00		8.37	2.77
	L0009362	593644.78	355392.84	138.25	2.98	1.31E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V8	L0009363	593653.74	355408.45	138.45	2.98	1.31E-6	9.00		8.37	2.77
	L0009364	593662.69	355424.07	138.63	2.98	1.31E-6	9.00		8.37	2.77
	L0009365	593671.64	355439.69	138.82	2.98	1.31E-6	9.00		8.37	2.77
	L0009366	593680.59	355455.30	139.00	2.98	1.31E-6	9.00		8.37	2.77
	L0009367	593689.54	355470.92	139.18	2.98	1.31E-6	9.00		8.37	2.77
	L0009368	593698.49	355486.54	139.37	2.98	1.31E-6	9.00		8.37	2.77
	L0009369	593707.45	355502.15	139.55	2.98	1.31E-6	9.00		8.37	2.77
	L0009370	593716.40	355517.77	139.73	2.98	1.31E-6	9.00		8.37	2.77
	L0009371	593725.35	355533.39	139.92	2.98	1.31E-6	9.00		8.37	2.77
	L0009372	593734.30	355549.00	140.10	2.98	1.31E-6	9.00		8.37	2.77
	L0009373	593743.25	355564.62	140.28	2.98	1.31E-6	9.00		8.37	2.77
	L0009374	593752.20	355580.24	140.46	2.98	1.31E-6	9.00		8.37	2.77
	L0009375	593761.15	355595.85	140.65	2.98	1.31E-6	9.00		8.37	2.77
	L0009376	593770.10	355611.47	140.83	2.98	1.31E-6	9.00		8.37	2.77
	L0009377	593779.05	355627.09	141.01	2.98	1.31E-6	9.00		8.37	2.77
	L0009378	593788.00	355642.70	141.20	2.98	1.31E-6	9.00		8.37	2.77
	L0009379	593796.94	355658.33	141.36	2.98	1.31E-6	9.00		8.37	2.77
	L0009380	593805.73	355674.04	141.38	2.98	1.31E-6	9.00		8.37	2.77
	L0009381	593814.51	355689.75	141.39	2.98	1.31E-6	9.00		8.37	2.77
	L0009382	593823.30	355705.46	141.40	2.98	1.31E-6	9.00		8.37	2.77
	L0009383	593832.09	355721.17	141.42	2.98	1.31E-6	9.00		8.37	2.77
	L0009384	593840.87	355736.88	141.43	2.98	1.31E-6	9.00		8.37	2.77
	L0009385	593849.66	355752.59	141.45	2.98	1.31E-6	9.00		8.37	2.77
	L0009386	593858.45	355768.30	141.46	2.98	1.31E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009387	593867.23	355784.01	141.47	2.98	1.31E-6	9.00		8.37	2.77
	L0009388	593876.02	355799.72	141.49	2.98	1.31E-6	9.00		8.37	2.77
	L0009389	593884.81	355815.43	141.50	2.98	1.31E-6	9.00		8.37	2.77
	L0009390	593893.59	355831.14	141.52	2.98	1.31E-6	9.00		8.37	2.77
	L0009391	593902.80	355846.47	141.53	2.98	1.31E-6	9.00		8.37	2.77
	L0009392	593917.41	355856.98	141.54	2.98	1.31E-6	9.00		8.37	2.77
	L0009393	593932.03	355867.48	141.55	2.98	1.31E-6	9.00		8.37	2.77
	L0009394	593946.64	355877.99	141.56	2.98	1.31E-6	9.00		8.37	2.77
	L0009395	593961.26	355888.50	141.57	2.98	1.31E-6	9.00		8.37	2.77
	L0009396	593975.88	355899.00	141.58	2.98	1.31E-6	9.00		8.37	2.77
	L0009397	593990.49	355909.51	141.59	2.98	1.31E-6	9.00		8.37	2.77
	L0009398	594005.27	355919.67	141.60	2.98	1.31E-6	9.00		8.37	2.77
	L0009399	594022.76	355923.93	141.67	2.98	1.31E-6	9.00		8.37	2.77
	L0009400	594040.24	355928.20	141.74	2.98	1.31E-6	9.00		8.37	2.77
	L0009401	594057.73	355932.46	141.81	2.98	1.31E-6	9.00		8.37	2.77
	L0009402	594075.22	355936.73	141.88	2.98	1.31E-6	9.00		8.37	2.77
	L0009403	594092.71	355940.99	141.94	2.98	1.31E-6	9.00		8.37	2.77
	L0009404	594110.19	355945.26	142.01	2.98	1.31E-6	9.00		8.37	2.77
	L0009405	594127.68	355949.52	142.08	2.98	1.31E-6	9.00		8.37	2.77
	L0009406	594145.43	355951.99	142.09	2.98	1.31E-6	9.00		8.37	2.77
	L0009407	594163.41	355952.94	142.07	2.98	1.31E-6	9.00		8.37	2.77
	L0009408	594181.38	355953.88	142.04	2.98	1.31E-6	9.00		8.37	2.77
	L0009409	594199.36	355954.83	142.01	2.98	1.31E-6	9.00		8.37	2.77
	L0009410	594217.33	355955.77	141.98	2.98	1.31E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V8	L0009411	594235.31	355956.72	141.95	2.98	1.31E-6	9.00		8.37	2.77
	L0009412	594253.28	355957.67	141.92	2.98	1.31E-6	9.00		8.37	2.77
	L0009413	594271.26	355958.61	141.89	2.98	1.31E-6	9.00		8.37	2.77
	L0009414	594289.23	355959.56	141.87	2.98	1.31E-6	9.00		8.37	2.77
	L0009415	594307.21	355960.50	141.84	2.98	1.31E-6	9.00		8.37	2.77
	L0009416	594325.15	355961.89	141.81	2.98	1.31E-6	9.00		8.37	2.77
	L0009417	594343.02	355963.99	141.79	2.98	1.31E-6	9.00		8.37	2.77
	L0009418	594360.90	355966.10	141.77	2.98	1.31E-6	9.00		8.37	2.77
	L0009419	594378.78	355968.20	141.75	2.98	1.31E-6	9.00		8.37	2.77
	L0009420	594396.65	355970.30	141.72	2.98	1.31E-6	9.00		8.37	2.77
	L0009421	594414.53	355972.41	141.70	2.98	1.31E-6	9.00		8.37	2.77
	L0009422	594432.41	355974.51	141.68	2.98	1.31E-6	9.00		8.37	2.77
	L0009423	594450.28	355976.61	141.66	2.98	1.31E-6	9.00		8.37	2.77
	L0009424	594468.16	355978.71	141.64	2.98	1.31E-6	9.00		8.37	2.77
	L0009425	594485.84	355981.69	141.59	2.98	1.31E-6	9.00		8.37	2.77
	L0009426	594502.88	355987.49	141.47	2.98	1.31E-6	9.00		8.37	2.77
	L0009427	594519.92	355993.28	141.34	2.98	1.31E-6	9.00		8.37	2.77
	L0009428	594536.96	355999.08	141.22	2.98	1.31E-6	9.00		8.37	2.77
	L0009429	594554.01	356004.87	141.09	2.98	1.31E-6	9.00		8.37	2.77
	L0009430	594571.05	356010.67	140.97	2.98	1.31E-6	9.00		8.37	2.77
	L0009431	594588.09	356016.46	140.84	2.98	1.31E-6	9.00		8.37	2.77
	L0009432	594605.13	356022.25	140.72	2.98	1.31E-6	9.00		8.37	2.77
	L0009433	594622.17	356028.05	140.59	2.98	1.31E-6	9.00		8.37	2.77
	L0009434	594639.22	356033.84	140.47	2.98	1.31E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009435	594654.22	356043.59	140.11	2.98	1.31E-6	9.00		8.37	2.77
	L0009436	594668.82	356054.12	139.70	2.98	1.31E-6	9.00		8.37	2.77
	L0009437	594683.42	356064.64	139.29	2.98	1.31E-6	9.00		8.37	2.77
	L0009438	594698.02	356075.17	138.88	2.98	1.31E-6	9.00		8.37	2.77
	L0009439	594712.62	356085.69	138.47	2.98	1.31E-6	9.00		8.37	2.77
	L0009440	594727.22	356096.22	138.06	2.98	1.31E-6	9.00		8.37	2.77
	L0009441	594741.83	356106.75	137.65	2.98	1.31E-6	9.00		8.37	2.77
	L0009442	594756.43	356117.27	137.25	2.98	1.31E-6	9.00		8.37	2.77
	L0009443	594771.03	356127.80	136.84	2.98	1.31E-6	9.00		8.37	2.77
	L0009444	594785.27	356138.79	136.51	2.98	1.31E-6	9.00		8.37	2.77
	L0009445	594798.96	356150.47	136.30	2.98	1.31E-6	9.00		8.37	2.77
	L0009446	594812.65	356162.16	136.08	2.98	1.31E-6	9.00		8.37	2.77
	L0009447	594826.34	356173.84	135.87	2.98	1.31E-6	9.00		8.37	2.77
	L0009448	594840.03	356185.53	135.66	2.98	1.31E-6	9.00		8.37	2.77
	L0009449	594853.72	356197.21	135.45	2.98	1.31E-6	9.00		8.37	2.77
	L0009450	594867.42	356208.90	135.24	2.98	1.31E-6	9.00		8.37	2.77
	L0009451	594881.11	356220.58	135.03	2.98	1.31E-6	9.00		8.37	2.77
	L0009452	594894.80	356232.27	134.82	2.98	1.31E-6	9.00		8.37	2.77
	L0009453	594908.49	356243.96	134.61	2.98	1.31E-6	9.00		8.37	2.77
	L0009454	594922.18	356255.64	134.40	2.98	1.31E-6	9.00		8.37	2.77
	L0009455	594935.87	356267.33	134.19	2.98	1.31E-6	9.00		8.37	2.77
	L0009456	594949.56	356279.01	133.98	2.98	1.31E-6	9.00		8.37	2.77
	L0009457	594963.26	356290.70	133.76	2.98	1.31E-6	9.00		8.37	2.77
	L0009458	594976.95	356302.38	133.55	2.98	1.31E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009459	594990.64	356314.07	133.34	2.98	1.31E-6	9.00		8.37	2.77
	L0009460	595004.33	356325.75	133.13	2.98	1.31E-6	9.00		8.37	2.77
	L0009461	595018.02	356337.44	132.92	2.98	1.31E-6	9.00		8.37	2.77
	L0009462	595031.71	356349.12	132.71	2.98	1.31E-6	9.00		8.37	2.77
	L0009463	595045.40	356360.81	132.50	2.98	1.31E-6	9.00		8.37	2.77
	L0009464	595059.10	356372.49	132.29	2.98	1.31E-6	9.00		8.37	2.77
	L0009465	595072.98	356383.95	132.24	2.98	1.31E-6	9.00		8.37	2.77
	L0009466	595086.87	356395.40	132.21	2.98	1.31E-6	9.00		8.37	2.77
	L0009467	595100.76	356406.85	132.17	2.98	1.31E-6	9.00		8.37	2.77
	L0009468	595114.65	356418.30	132.13	2.98	1.31E-6	9.00		8.37	2.77
	L0009469	595128.54	356429.74	132.10	2.98	1.31E-6	9.00		8.37	2.77
	L0009470	595142.43	356441.19	132.06	2.98	1.31E-6	9.00		8.37	2.77
	L0009471	595156.32	356452.64	132.02	2.98	1.31E-6	9.00		8.37	2.77
	L0009472	595170.21	356464.09	131.98	2.98	1.31E-6	9.00		8.37	2.77
	L0009473	595184.10	356475.54	131.95	2.98	1.31E-6	9.00		8.37	2.77
	L0009474	595197.99	356486.98	131.91	2.98	1.31E-6	9.00		8.37	2.77
	L0009475	595211.88	356498.43	131.87	2.98	1.31E-6	9.00		8.37	2.77
	L0009476	595225.77	356509.88	131.84	2.98	1.31E-6	9.00		8.37	2.77
	L0009477	595239.66	356521.33	131.80	2.98	1.31E-6	9.00		8.37	2.77
	L0009478	595253.55	356532.78	131.76	2.98	1.31E-6	9.00		8.37	2.77
	L0009479	595267.44	356544.22	131.72	2.98	1.31E-6	9.00		8.37	2.77
	L0009480	595281.33	356555.67	131.69	2.98	1.31E-6	9.00		8.37	2.77
	L0009481	595295.22	356567.12	131.65	2.98	1.31E-6	9.00		8.37	2.77
	L0009482	595309.11	356578.57	131.61	2.98	1.31E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009483	595324.38	356587.91	131.35	2.98	1.31E-6	9.00		8.37	2.77
	L0009484	595340.44	356596.04	130.95	2.98	1.31E-6	9.00		8.37	2.77
	L0009485	595356.50	356604.17	130.55	2.98	1.31E-6	9.00		8.37	2.77
	L0009486	595372.56	356612.30	130.15	2.98	1.31E-6	9.00		8.37	2.77
	L0009487	595388.62	356620.43	129.76	2.98	1.31E-6	9.00		8.37	2.77
	L0009488	595404.68	356628.56	129.36	2.98	1.31E-6	9.00		8.37	2.77
	L0009489	595420.73	356636.69	128.96	2.98	1.31E-6	9.00		8.37	2.77
	L0009490	595436.79	356644.83	128.56	2.98	1.31E-6	9.00		8.37	2.77
	L0009491	595452.85	356652.96	128.17	2.98	1.31E-6	9.00		8.37	2.77
	L0009492	595468.91	356661.09	127.77	2.98	1.31E-6	9.00		8.37	2.77
	L0009493	595484.97	356669.22	127.37	2.98	1.31E-6	9.00		8.37	2.77
	L0009494	595501.03	356677.35	126.97	2.98	1.31E-6	9.00		8.37	2.77
	L0009495	595517.09	356685.48	126.58	2.98	1.31E-6	9.00		8.37	2.77
	L0009496	595533.15	356693.61	126.18	2.98	1.31E-6	9.00		8.37	2.77
	L0009497	595549.87	356700.23	125.75	2.98	1.31E-6	9.00		8.37	2.77
	L0009498	595566.69	356706.65	125.33	2.98	1.31E-6	9.00		8.37	2.77
	L0009499	595583.51	356713.06	124.90	2.98	1.31E-6	9.00		8.37	2.77
	L0009500	595600.33	356719.47	124.47	2.98	1.31E-6	9.00		8.37	2.77
	L0009501	595617.15	356725.88	124.04	2.98	1.31E-6	9.00		8.37	2.77
	L0009502	595633.97	356732.29	123.61	2.98	1.31E-6	9.00		8.37	2.77
	L0009503	595650.79	356738.70	123.19	2.98	1.31E-6	9.00		8.37	2.77
	L0009504	595667.61	356745.11	122.76	2.98	1.31E-6	9.00		8.37	2.77
	L0009505	595684.43	356751.52	122.33	2.98	1.31E-6	9.00		8.37	2.77
	L0009506	595701.25	356757.94	121.90	2.98	1.31E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V8	L0009507	595718.07	356764.35	121.48	2.98	1.31E-6	9.00		8.37	2.77
	L0009508	595734.89	356770.76	121.05	2.98	1.31E-6	9.00		8.37	2.77
	L0009509	595751.71	356777.17	120.62	2.98	1.31E-6	9.00		8.37	2.77
	L0009510	595768.53	356783.58	120.19	2.98	1.31E-6	9.00		8.37	2.77
	L0009511	595785.35	356789.99	119.76	2.98	1.31E-6	9.00		8.37	2.77
	L0009512	595802.16	356796.40	119.34	2.98	1.31E-6	9.00		8.37	2.77
	L0009513	595818.98	356802.82	118.91	2.98	1.31E-6	9.00		8.37	2.77
	L0009514	595835.80	356809.23	118.48	2.98	1.31E-6	9.00		8.37	2.77
	L0009515	595852.62	356815.64	118.05	2.98	1.31E-6	9.00		8.37	2.77
	L0009516	595868.55	356823.91	117.69	2.98	1.31E-6	9.00		8.37	2.77
	L0009517	595884.08	356833.02	117.35	2.98	1.31E-6	9.00		8.37	2.77
	L0009518	595899.61	356842.12	117.02	2.98	1.31E-6	9.00		8.37	2.77
	L0009519	595915.13	356851.22	116.68	2.98	1.31E-6	9.00		8.37	2.77
	L0009520	595930.66	356860.33	116.34	2.98	1.31E-6	9.00		8.37	2.77
	L0009521	595946.19	356869.43	116.01	2.98	1.31E-6	9.00		8.37	2.77
	L0009522	595961.72	356878.53	115.67	2.98	1.31E-6	9.00		8.37	2.77
	L0009523	595977.25	356887.63	115.34	2.98	1.31E-6	9.00		8.37	2.77
	L0009524	595992.78	356896.74	115.00	2.98	1.31E-6	9.00		8.37	2.77
	L0009525	596008.31	356905.84	114.66	2.98	1.31E-6	9.00		8.37	2.77

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V6	L0009784	594069.70	355517.65	148.55	2.98	0.00334	9.00		8.37	2.77
	L0009785	594069.13	355535.64	150.17	2.98	0.00334	9.00		8.37	2.77
	L0009786	594068.55	355553.63	151.79	2.98	0.00334	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V6	L0009787	594067.98	355571.62	153.41	2.98	0.00334	9.00		8.37	2.77
	L0009788	594065.79	355589.29	154.76	2.98	0.00334	9.00		8.37	2.77
	L0009789	594059.30	355606.08	155.37	2.98	0.00334	9.00		8.37	2.77
	L0009790	594052.82	355622.87	155.98	2.98	0.00334	9.00		8.37	2.77
	L0009791	594046.13	355639.56	156.45	2.98	0.00334	9.00		8.37	2.77
	L0009792	594036.72	355654.90	154.96	2.98	0.00334	9.00		8.37	2.77
	L0009793	594027.30	355670.24	153.48	2.98	0.00334	9.00		8.37	2.77
	L0009794	594017.89	355685.58	151.99	2.98	0.00334	9.00		8.37	2.77
	L0009795	594006.40	355699.32	150.99	2.98	0.00334	9.00		8.37	2.77
	L0009796	593993.91	355712.29	150.22	2.98	0.00334	9.00		8.37	2.77
	L0009797	593981.43	355725.25	149.46	2.98	0.00334	9.00		8.37	2.77
	L0009798	593968.94	355738.22	148.69	2.98	0.00334	9.00		8.37	2.77
	L0009799	593955.76	355750.34	147.78	2.98	0.00334	9.00		8.37	2.77
	L0009800	593940.61	355760.06	146.48	2.98	0.00334	9.00		8.37	2.77
	L0009801	593925.46	355769.78	145.18	2.98	0.00334	9.00		8.37	2.77
	L0009802	593910.31	355779.50	143.88	2.98	0.00334	9.00		8.37	2.77
	L0009803	593894.37	355787.79	141.87	2.98	0.00334	9.00		8.37	2.77