

# Source Pathway - Source Inputs

AERMOD

## Area Sources

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Length of X Side [m]	Length of Y Side [m]	Orientation Angle from North [deg]	Initial Vertical Dim. [m]
AREA	V3	594053.05	355506.08	147.94	1.00	0.00009	3.55	6.14	30.00	
		Sijātājs - škirotājs un apstrādes procesi								
AREA	V4	594051.30	355520.95	147.88	1.00	0.00022	3.55	6.14	30.00	0.00
		Drupinātājs - škirotājs un apstrādes procesi								

# Source Pathway - Source Inputs

AERMOD

## Polygon Area Sources

**Source Type:** AREA POLY

**Source:** V1 (Segkārtas noņemšana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m <sup>2</sup> )]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
143.52	1.00	3.05E-8		9	593859.03	355711.42
		3.05E-8			593927.58	355811.67
		3.05E-8			594184.61	355672.01
		3.05E-8			594200.03	355627.46
		3.05E-8			594086.94	355433.83
		3.05E-8			593925.86	355500.66
		3.05E-8			593937.00	355531.50
		3.05E-8			593934.43	355676.30
		3.05E-8			593865.89	355707.14

**Source Type:** AREA POLY

**Source:** V7 (Uzglabāšanas laukums)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m <sup>2</sup> )]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
149.00	1.00	1.69E-8	0.00	4	594084.32	355434.48
		1.69E-8			594057.26	355446.01
		1.69E-8			594093.67	355510.20
		1.69E-8			594120.21	355497.64

# Source Pathway - Source Inputs

AERMOD

**Source Type:** AREA POLY

**Source:** V2 (Ekskavators un pārkraušana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m <sup>2</sup> )]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
149.37	1.00	2.39E-7		5	594082.91	355436.92
		2.39E-7			593929.81	355502.34
		2.39E-7			593940.43	355530.42
		2.39E-7			593939.40	355580.77
		2.39E-7			594122.30	355501.99

**Source Type:** AREA POLY

**Source:** V5 (Frontālais un pārkraušana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m <sup>2</sup> )]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
149.37	1.00	1.65E-7	0.00	5	594082.91	355436.92
		1.65E-7			593929.81	355502.34
		1.65E-7			593940.43	355530.42
		1.65E-7			593939.40	355580.77
		1.65E-7			594122.30	355501.99

# Source Pathway - Source Inputs

AERMOD

## Line Volume Sources

**Source Type:** LINE VOLUME

**Source:** V6 (Transportēšanas maršruts)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.00670		594069.84	355513.15	148.15	2.98
			594067.57	355584.69	154.59	2.98
			594046.77	355638.53	156.55	2.98
			594014.82	355690.58	151.51	2.98
			593959.68	355747.83	148.12	2.98
			593906.25	355782.10	143.53	2.98
			593886.11	355791.75	140.71	2.98

**Source Type:** LINE VOLUME

**Source:** V8 (Kravas mašīnas pa P28)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.00024		592043.39	355463.10	123.10	2.98
			592280.20	355422.71	111.09	2.98
			592725.65	355371.44	110.50	2.98
			593020.48	355310.55	125.38	2.98
			593363.37	355259.27	133.45	2.98
			593565.26	355256.07	134.91	2.98
			593645.38	355393.87	138.28	2.98
			593796.00	355656.65	141.36	2.98
			593901.75	355845.72	141.53	2.98
			594004.30	355919.43	141.60	2.98
			594135.69	355951.48	142.11	2.98
			594318.35	355961.09	141.82	2.98
			594481.79	355980.32	141.62	2.98
			594642.02	356034.80	140.45	2.98
			594779.82	356134.14	136.59	2.98
			595059.66	356372.98	132.28	2.98

# Source Pathway - Source Inputs

AERMOD

**Source Type:** LINE VOLUME

**Source:** V8 (Kravas mašīnas pa P28)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.00024		595314.17	356582.74	131.60	2.98
			595535.12	356694.61	126.13	2.98
			595857.79	356817.61	117.92	2.98
			596021.90	356913.81	114.37	2.98

# Source Pathway - Source Inputs

AERMOD

## Volume Sources Generated from Line Sources

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009804	592047.83	355462.34	122.88	2.98	9.19E-7	9.00		8.37	2.77
	L0009805	592065.57	355459.31	121.98	2.98	9.19E-7	9.00		8.37	2.77
	L0009806	592083.31	355456.29	121.08	2.98	9.19E-7	9.00		8.37	2.77
	L0009807	592101.06	355453.26	120.18	2.98	9.19E-7	9.00		8.37	2.77
	L0009808	592118.80	355450.24	119.28	2.98	9.19E-7	9.00		8.37	2.77
	L0009809	592136.55	355447.21	118.38	2.98	9.19E-7	9.00		8.37	2.77
	L0009810	592154.29	355444.18	117.48	2.98	9.19E-7	9.00		8.37	2.77
	L0009811	592172.03	355441.16	116.58	2.98	9.19E-7	9.00		8.37	2.77
	L0009812	592189.78	355438.13	115.68	2.98	9.19E-7	9.00		8.37	2.77
	L0009813	592207.52	355435.11	114.78	2.98	9.19E-7	9.00		8.37	2.77
	L0009814	592225.27	355432.08	113.88	2.98	9.19E-7	9.00		8.37	2.77
	L0009815	592243.01	355429.05	112.98	2.98	9.19E-7	9.00		8.37	2.77
	L0009816	592260.75	355426.03	112.08	2.98	9.19E-7	9.00		8.37	2.77
	L0009817	592278.50	355423.00	111.18	2.98	9.19E-7	9.00		8.37	2.77
	L0009818	592296.37	355420.85	111.07	2.98	9.19E-7	9.00		8.37	2.77
	L0009819	592314.25	355418.79	111.04	2.98	9.19E-7	9.00		8.37	2.77
	L0009820	592332.13	355416.73	111.02	2.98	9.19E-7	9.00		8.37	2.77
	L0009821	592350.01	355414.68	111.00	2.98	9.19E-7	9.00		8.37	2.77
	L0009822	592367.89	355412.62	110.97	2.98	9.19E-7	9.00		8.37	2.77
	L0009823	592385.77	355410.56	110.95	2.98	9.19E-7	9.00		8.37	2.77
	L0009824	592403.66	355408.50	110.93	2.98	9.19E-7	9.00		8.37	2.77
	L0009825	592421.54	355406.44	110.90	2.98	9.19E-7	9.00		8.37	2.77
	L0009826	592439.42	355404.38	110.88	2.98	9.19E-7	9.00		8.37	2.77

# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009827	592457.30	355402.33	110.86	2.98	9.19E-7	9.00		8.37	2.77
	L0009828	592475.18	355400.27	110.83	2.98	9.19E-7	9.00		8.37	2.77
	L0009829	592493.07	355398.21	110.81	2.98	9.19E-7	9.00		8.37	2.77
	L0009830	592510.95	355396.15	110.78	2.98	9.19E-7	9.00		8.37	2.77
	L0009831	592528.83	355394.09	110.76	2.98	9.19E-7	9.00		8.37	2.77
	L0009832	592546.71	355392.03	110.74	2.98	9.19E-7	9.00		8.37	2.77
	L0009833	592564.59	355389.98	110.71	2.98	9.19E-7	9.00		8.37	2.77
	L0009834	592582.48	355387.92	110.69	2.98	9.19E-7	9.00		8.37	2.77
	L0009835	592600.36	355385.86	110.67	2.98	9.19E-7	9.00		8.37	2.77
	L0009836	592618.24	355383.80	110.64	2.98	9.19E-7	9.00		8.37	2.77
	L0009837	592636.12	355381.74	110.62	2.98	9.19E-7	9.00		8.37	2.77
	L0009838	592654.00	355379.68	110.59	2.98	9.19E-7	9.00		8.37	2.77
	L0009839	592671.89	355377.63	110.57	2.98	9.19E-7	9.00		8.37	2.77
	L0009840	592689.77	355375.57	110.55	2.98	9.19E-7	9.00		8.37	2.77
	L0009841	592707.65	355373.51	110.52	2.98	9.19E-7	9.00		8.37	2.77
	L0009842	592725.53	355371.45	110.50	2.98	9.19E-7	9.00		8.37	2.77
	L0009843	592743.16	355367.82	111.38	2.98	9.19E-7	9.00		8.37	2.77
	L0009844	592760.79	355364.18	112.27	2.98	9.19E-7	9.00		8.37	2.77
	L0009845	592778.42	355360.54	113.16	2.98	9.19E-7	9.00		8.37	2.77
	L0009846	592796.05	355356.90	114.05	2.98	9.19E-7	9.00		8.37	2.77
	L0009847	592813.67	355353.26	114.94	2.98	9.19E-7	9.00		8.37	2.77
	L0009848	592831.30	355349.62	115.83	2.98	9.19E-7	9.00		8.37	2.77
	L0009849	592848.93	355345.98	116.72	2.98	9.19E-7	9.00		8.37	2.77
	L0009850	592866.56	355342.34	117.61	2.98	9.19E-7	9.00		8.37	2.77

# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V8	L0009851	592884.19	355338.70	118.50	2.98	9.19E-7	9.00		8.37	2.77
	L0009852	592901.81	355335.06	119.39	2.98	9.19E-7	9.00		8.37	2.77
	L0009853	592919.44	355331.41	120.28	2.98	9.19E-7	9.00		8.37	2.77
	L0009854	592937.07	355327.77	121.17	2.98	9.19E-7	9.00		8.37	2.77
	L0009855	592954.70	355324.13	122.06	2.98	9.19E-7	9.00		8.37	2.77
	L0009856	592972.33	355320.49	122.95	2.98	9.19E-7	9.00		8.37	2.77
	L0009857	592989.95	355316.85	123.84	2.98	9.19E-7	9.00		8.37	2.77
	L0009858	593007.58	355313.21	124.73	2.98	9.19E-7	9.00		8.37	2.77
	L0009859	593025.26	355309.83	125.49	2.98	9.19E-7	9.00		8.37	2.77
	L0009860	593043.06	355307.17	125.91	2.98	9.19E-7	9.00		8.37	2.77
	L0009861	593060.86	355304.51	126.33	2.98	9.19E-7	9.00		8.37	2.77
	L0009862	593078.66	355301.85	126.75	2.98	9.19E-7	9.00		8.37	2.77
	L0009863	593096.46	355299.19	127.17	2.98	9.19E-7	9.00		8.37	2.77
	L0009864	593114.27	355296.52	127.59	2.98	9.19E-7	9.00		8.37	2.77
	L0009865	593132.07	355293.86	128.01	2.98	9.19E-7	9.00		8.37	2.77
	L0009866	593149.87	355291.20	128.43	2.98	9.19E-7	9.00		8.37	2.77
	L0009867	593167.67	355288.54	128.84	2.98	9.19E-7	9.00		8.37	2.77
	L0009868	593185.47	355285.88	129.26	2.98	9.19E-7	9.00		8.37	2.77
	L0009869	593203.28	355283.21	129.68	2.98	9.19E-7	9.00		8.37	2.77
	L0009870	593221.08	355280.55	130.10	2.98	9.19E-7	9.00		8.37	2.77
	L0009871	593238.88	355277.89	130.52	2.98	9.19E-7	9.00		8.37	2.77
	L0009872	593256.68	355275.23	130.94	2.98	9.19E-7	9.00		8.37	2.77
	L0009873	593274.48	355272.57	131.36	2.98	9.19E-7	9.00		8.37	2.77
	L0009874	593292.29	355269.90	131.78	2.98	9.19E-7	9.00		8.37	2.77



# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009875	593310.09	355267.24	132.20	2.98	9.19E-7	9.00		8.37	2.77
	L0009876	593327.89	355264.58	132.61	2.98	9.19E-7	9.00		8.37	2.77
	L0009877	593345.69	355261.92	133.03	2.98	9.19E-7	9.00		8.37	2.77
	L0009878	593363.50	355259.27	133.45	2.98	9.19E-7	9.00		8.37	2.77
	L0009879	593381.49	355258.99	133.58	2.98	9.19E-7	9.00		8.37	2.77
	L0009880	593399.49	355258.70	133.71	2.98	9.19E-7	9.00		8.37	2.77
	L0009881	593417.49	355258.42	133.84	2.98	9.19E-7	9.00		8.37	2.77
	L0009882	593435.49	355258.13	133.97	2.98	9.19E-7	9.00		8.37	2.77
	L0009883	593453.49	355257.84	134.10	2.98	9.19E-7	9.00		8.37	2.77
	L0009884	593471.48	355257.56	134.23	2.98	9.19E-7	9.00		8.37	2.77
	L0009885	593489.48	355257.27	134.36	2.98	9.19E-7	9.00		8.37	2.77
	L0009886	593507.48	355256.99	134.49	2.98	9.19E-7	9.00		8.37	2.77
	L0009887	593525.48	355256.70	134.62	2.98	9.19E-7	9.00		8.37	2.77
	L0009888	593543.47	355256.42	134.75	2.98	9.19E-7	9.00		8.37	2.77
	L0009889	593561.47	355256.13	134.88	2.98	9.19E-7	9.00		8.37	2.77
	L0009890	593572.41	355268.35	135.21	2.98	9.19E-7	9.00		8.37	2.77
	L0009891	593581.45	355283.91	135.59	2.98	9.19E-7	9.00		8.37	2.77
	L0009892	593590.50	355299.47	135.97	2.98	9.19E-7	9.00		8.37	2.77
	L0009893	593599.55	355315.03	136.35	2.98	9.19E-7	9.00		8.37	2.77
	L0009894	593608.59	355330.60	136.73	2.98	9.19E-7	9.00		8.37	2.77
	L0009895	593617.64	355346.16	137.11	2.98	9.19E-7	9.00		8.37	2.77
	L0009896	593626.69	355361.72	137.49	2.98	9.19E-7	9.00		8.37	2.77
	L0009897	593635.74	355377.28	137.87	2.98	9.19E-7	9.00		8.37	2.77
	L0009898	593644.78	355392.84	138.25	2.98	9.19E-7	9.00		8.37	2.77

# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009899	593653.74	355408.45	138.45	2.98	9.19E-7	9.00		8.37	2.77
	L0009900	593662.69	355424.07	138.63	2.98	9.19E-7	9.00		8.37	2.77
	L0009901	593671.64	355439.69	138.82	2.98	9.19E-7	9.00		8.37	2.77
	L0009902	593680.59	355455.30	139.00	2.98	9.19E-7	9.00		8.37	2.77
	L0009903	593689.54	355470.92	139.18	2.98	9.19E-7	9.00		8.37	2.77
	L0009904	593698.49	355486.54	139.37	2.98	9.19E-7	9.00		8.37	2.77
	L0009905	593707.45	355502.15	139.55	2.98	9.19E-7	9.00		8.37	2.77
	L0009906	593716.40	355517.77	139.73	2.98	9.19E-7	9.00		8.37	2.77
	L0009907	593725.35	355533.39	139.92	2.98	9.19E-7	9.00		8.37	2.77
	L0009908	593734.30	355549.00	140.10	2.98	9.19E-7	9.00		8.37	2.77
	L0009909	593743.25	355564.62	140.28	2.98	9.19E-7	9.00		8.37	2.77
	L0009910	593752.20	355580.24	140.46	2.98	9.19E-7	9.00		8.37	2.77
	L0009911	593761.15	355595.85	140.65	2.98	9.19E-7	9.00		8.37	2.77
	L0009912	593770.10	355611.47	140.83	2.98	9.19E-7	9.00		8.37	2.77
	L0009913	593779.05	355627.09	141.01	2.98	9.19E-7	9.00		8.37	2.77
	L0009914	593788.00	355642.70	141.20	2.98	9.19E-7	9.00		8.37	2.77
	L0009915	593796.94	355658.33	141.36	2.98	9.19E-7	9.00		8.37	2.77
	L0009916	593805.73	355674.04	141.38	2.98	9.19E-7	9.00		8.37	2.77
	L0009917	593814.51	355689.75	141.39	2.98	9.19E-7	9.00		8.37	2.77
	L0009918	593823.30	355705.46	141.40	2.98	9.19E-7	9.00		8.37	2.77
	L0009919	593832.09	355721.17	141.42	2.98	9.19E-7	9.00		8.37	2.77
	L0009920	593840.87	355736.88	141.43	2.98	9.19E-7	9.00		8.37	2.77
	L0009921	593849.66	355752.59	141.45	2.98	9.19E-7	9.00		8.37	2.77
	L0009922	593858.45	355768.30	141.46	2.98	9.19E-7	9.00		8.37	2.77

# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009923	593867.23	355784.01	141.47	2.98	9.19E-7	9.00		8.37	2.77
	L0009924	593876.02	355799.72	141.49	2.98	9.19E-7	9.00		8.37	2.77
	L0009925	593884.81	355815.43	141.50	2.98	9.19E-7	9.00		8.37	2.77
	L0009926	593893.59	355831.14	141.52	2.98	9.19E-7	9.00		8.37	2.77
	L0009927	593902.80	355846.47	141.53	2.98	9.19E-7	9.00		8.37	2.77
	L0009928	593917.41	355856.98	141.54	2.98	9.19E-7	9.00		8.37	2.77
	L0009929	593932.03	355867.48	141.55	2.98	9.19E-7	9.00		8.37	2.77
	L0009930	593946.64	355877.99	141.56	2.98	9.19E-7	9.00		8.37	2.77
	L0009931	593961.26	355888.50	141.57	2.98	9.19E-7	9.00		8.37	2.77
	L0009932	593975.88	355899.00	141.58	2.98	9.19E-7	9.00		8.37	2.77
	L0009933	593990.49	355909.51	141.59	2.98	9.19E-7	9.00		8.37	2.77
	L0009934	594005.27	355919.67	141.60	2.98	9.19E-7	9.00		8.37	2.77
	L0009935	594022.76	355923.93	141.67	2.98	9.19E-7	9.00		8.37	2.77
	L0009936	594040.24	355928.20	141.74	2.98	9.19E-7	9.00		8.37	2.77
	L0009937	594057.73	355932.46	141.81	2.98	9.19E-7	9.00		8.37	2.77
	L0009938	594075.22	355936.73	141.88	2.98	9.19E-7	9.00		8.37	2.77
	L0009939	594092.71	355940.99	141.94	2.98	9.19E-7	9.00		8.37	2.77
	L0009940	594110.19	355945.26	142.01	2.98	9.19E-7	9.00		8.37	2.77
	L0009941	594127.68	355949.52	142.08	2.98	9.19E-7	9.00		8.37	2.77
	L0009942	594145.43	355951.99	142.09	2.98	9.19E-7	9.00		8.37	2.77
	L0009943	594163.41	355952.94	142.07	2.98	9.19E-7	9.00		8.37	2.77
	L0009944	594181.38	355953.88	142.04	2.98	9.19E-7	9.00		8.37	2.77
	L0009945	594199.36	355954.83	142.01	2.98	9.19E-7	9.00		8.37	2.77
	L0009946	594217.33	355955.77	141.98	2.98	9.19E-7	9.00		8.37	2.77

# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V8	L0009947	594235.31	355956.72	141.95	2.98	9.19E-7	9.00		8.37	2.77
	L0009948	594253.28	355957.67	141.92	2.98	9.19E-7	9.00		8.37	2.77
	L0009949	594271.26	355958.61	141.89	2.98	9.19E-7	9.00		8.37	2.77
	L0009950	594289.23	355959.56	141.87	2.98	9.19E-7	9.00		8.37	2.77
	L0009951	594307.21	355960.50	141.84	2.98	9.19E-7	9.00		8.37	2.77
	L0009952	594325.15	355961.89	141.81	2.98	9.19E-7	9.00		8.37	2.77
	L0009953	594343.02	355963.99	141.79	2.98	9.19E-7	9.00		8.37	2.77
	L0009954	594360.90	355966.10	141.77	2.98	9.19E-7	9.00		8.37	2.77
	L0009955	594378.78	355968.20	141.75	2.98	9.19E-7	9.00		8.37	2.77
	L0009956	594396.65	355970.30	141.72	2.98	9.19E-7	9.00		8.37	2.77
	L0009957	594414.53	355972.41	141.70	2.98	9.19E-7	9.00		8.37	2.77
	L0009958	594432.41	355974.51	141.68	2.98	9.19E-7	9.00		8.37	2.77
	L0009959	594450.28	355976.61	141.66	2.98	9.19E-7	9.00		8.37	2.77
	L0009960	594468.16	355978.71	141.64	2.98	9.19E-7	9.00		8.37	2.77
	L0009961	594485.84	355981.69	141.59	2.98	9.19E-7	9.00		8.37	2.77
	L0009962	594502.88	355987.49	141.47	2.98	9.19E-7	9.00		8.37	2.77
	L0009963	594519.92	355993.28	141.34	2.98	9.19E-7	9.00		8.37	2.77
	L0009964	594536.96	355999.08	141.22	2.98	9.19E-7	9.00		8.37	2.77
	L0009965	594554.01	356004.87	141.09	2.98	9.19E-7	9.00		8.37	2.77
	L0009966	594571.05	356010.67	140.97	2.98	9.19E-7	9.00		8.37	2.77
	L0009967	594588.09	356016.46	140.84	2.98	9.19E-7	9.00		8.37	2.77
	L0009968	594605.13	356022.25	140.72	2.98	9.19E-7	9.00		8.37	2.77
	L0009969	594622.17	356028.05	140.59	2.98	9.19E-7	9.00		8.37	2.77
	L0009970	594639.22	356033.84	140.47	2.98	9.19E-7	9.00		8.37	2.77

# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009971	594654.22	356043.59	140.11	2.98	9.19E-7	9.00		8.37	2.77
	L0009972	594668.82	356054.12	139.70	2.98	9.19E-7	9.00		8.37	2.77
	L0009973	594683.42	356064.64	139.29	2.98	9.19E-7	9.00		8.37	2.77
	L0009974	594698.02	356075.17	138.88	2.98	9.19E-7	9.00		8.37	2.77
	L0009975	594712.62	356085.69	138.47	2.98	9.19E-7	9.00		8.37	2.77
	L0009976	594727.22	356096.22	138.06	2.98	9.19E-7	9.00		8.37	2.77
	L0009977	594741.83	356106.75	137.65	2.98	9.19E-7	9.00		8.37	2.77
	L0009978	594756.43	356117.27	137.25	2.98	9.19E-7	9.00		8.37	2.77
	L0009979	594771.03	356127.80	136.84	2.98	9.19E-7	9.00		8.37	2.77
	L0009980	594785.27	356138.79	136.51	2.98	9.19E-7	9.00		8.37	2.77
	L0009981	594798.96	356150.47	136.30	2.98	9.19E-7	9.00		8.37	2.77
	L0009982	594812.65	356162.16	136.08	2.98	9.19E-7	9.00		8.37	2.77
	L0009983	594826.34	356173.84	135.87	2.98	9.19E-7	9.00		8.37	2.77
	L0009984	594840.03	356185.53	135.66	2.98	9.19E-7	9.00		8.37	2.77
	L0009985	594853.72	356197.21	135.45	2.98	9.19E-7	9.00		8.37	2.77
	L0009986	594867.42	356208.90	135.24	2.98	9.19E-7	9.00		8.37	2.77
	L0009987	594881.11	356220.58	135.03	2.98	9.19E-7	9.00		8.37	2.77
	L0009988	594894.80	356232.27	134.82	2.98	9.19E-7	9.00		8.37	2.77
	L0009989	594908.49	356243.96	134.61	2.98	9.19E-7	9.00		8.37	2.77
	L0009990	594922.18	356255.64	134.40	2.98	9.19E-7	9.00		8.37	2.77
	L0009991	594935.87	356267.33	134.19	2.98	9.19E-7	9.00		8.37	2.77
	L0009992	594949.56	356279.01	133.98	2.98	9.19E-7	9.00		8.37	2.77
	L0009993	594963.26	356290.70	133.76	2.98	9.19E-7	9.00		8.37	2.77
	L0009994	594976.95	356302.38	133.55	2.98	9.19E-7	9.00		8.37	2.77

# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0009995	594990.64	356314.07	133.34	2.98	9.19E-7	9.00		8.37	2.77
	L0009996	595004.33	356325.75	133.13	2.98	9.19E-7	9.00		8.37	2.77
	L0009997	595018.02	356337.44	132.92	2.98	9.19E-7	9.00		8.37	2.77
	L0009998	595031.71	356349.12	132.71	2.98	9.19E-7	9.00		8.37	2.77
	L0009999	595045.40	356360.81	132.50	2.98	9.19E-7	9.00		8.37	2.77
	L0010000	595059.10	356372.49	132.29	2.98	9.19E-7	9.00		8.37	2.77
	L0010001	595072.98	356383.95	132.24	2.98	9.19E-7	9.00		8.37	2.77
	L0010002	595086.87	356395.40	132.21	2.98	9.19E-7	9.00		8.37	2.77
	L0010003	595100.76	356406.85	132.17	2.98	9.19E-7	9.00		8.37	2.77
	L0010004	595114.65	356418.30	132.13	2.98	9.19E-7	9.00		8.37	2.77
	L0010005	595128.54	356429.74	132.10	2.98	9.19E-7	9.00		8.37	2.77
	L0010006	595142.43	356441.19	132.06	2.98	9.19E-7	9.00		8.37	2.77
	L0010007	595156.32	356452.64	132.02	2.98	9.19E-7	9.00		8.37	2.77
	L0010008	595170.21	356464.09	131.98	2.98	9.19E-7	9.00		8.37	2.77
	L0010009	595184.10	356475.54	131.95	2.98	9.19E-7	9.00		8.37	2.77
	L0010010	595197.99	356486.98	131.91	2.98	9.19E-7	9.00		8.37	2.77
	L0010011	595211.88	356498.43	131.87	2.98	9.19E-7	9.00		8.37	2.77
	L0010012	595225.77	356509.88	131.84	2.98	9.19E-7	9.00		8.37	2.77
	L0010013	595239.66	356521.33	131.80	2.98	9.19E-7	9.00		8.37	2.77
	L0010014	595253.55	356532.78	131.76	2.98	9.19E-7	9.00		8.37	2.77
	L0010015	595267.44	356544.22	131.72	2.98	9.19E-7	9.00		8.37	2.77
	L0010016	595281.33	356555.67	131.69	2.98	9.19E-7	9.00		8.37	2.77
	L0010017	595295.22	356567.12	131.65	2.98	9.19E-7	9.00		8.37	2.77
	L0010018	595309.11	356578.57	131.61	2.98	9.19E-7	9.00		8.37	2.77

# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
V8	L0010019	595324.38	356587.91	131.35	2.98	9.19E-7	9.00		8.37	2.77
	L0010020	595340.44	356596.04	130.95	2.98	9.19E-7	9.00		8.37	2.77
	L0010021	595356.50	356604.17	130.55	2.98	9.19E-7	9.00		8.37	2.77
	L0010022	595372.56	356612.30	130.15	2.98	9.19E-7	9.00		8.37	2.77
	L0010023	595388.62	356620.43	129.76	2.98	9.19E-7	9.00		8.37	2.77
	L0010024	595404.68	356628.56	129.36	2.98	9.19E-7	9.00		8.37	2.77
	L0010025	595420.73	356636.69	128.96	2.98	9.19E-7	9.00		8.37	2.77
	L0010026	595436.79	356644.83	128.56	2.98	9.19E-7	9.00		8.37	2.77
	L0010027	595452.85	356652.96	128.17	2.98	9.19E-7	9.00		8.37	2.77
	L0010028	595468.91	356661.09	127.77	2.98	9.19E-7	9.00		8.37	2.77
	L0010029	595484.97	356669.22	127.37	2.98	9.19E-7	9.00		8.37	2.77
	L0010030	595501.03	356677.35	126.97	2.98	9.19E-7	9.00		8.37	2.77
	L0010031	595517.09	356685.48	126.58	2.98	9.19E-7	9.00		8.37	2.77
	L0010032	595533.15	356693.61	126.18	2.98	9.19E-7	9.00		8.37	2.77
	L0010033	595549.87	356700.23	125.75	2.98	9.19E-7	9.00		8.37	2.77
	L0010034	595566.69	356706.65	125.33	2.98	9.19E-7	9.00		8.37	2.77
	L0010035	595583.51	356713.06	124.90	2.98	9.19E-7	9.00		8.37	2.77
	L0010036	595600.33	356719.47	124.47	2.98	9.19E-7	9.00		8.37	2.77
	L0010037	595617.15	356725.88	124.04	2.98	9.19E-7	9.00		8.37	2.77
	L0010038	595633.97	356732.29	123.61	2.98	9.19E-7	9.00		8.37	2.77
	L0010039	595650.79	356738.70	123.19	2.98	9.19E-7	9.00		8.37	2.77
	L0010040	595667.61	356745.11	122.76	2.98	9.19E-7	9.00		8.37	2.77
	L0010041	595684.43	356751.52	122.33	2.98	9.19E-7	9.00		8.37	2.77
	L0010042	595701.25	356757.94	121.90	2.98	9.19E-7	9.00		8.37	2.77

# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V8	L0010043	595718.07	356764.35	121.48	2.98	9.19E-7	9.00		8.37	2.77
	L0010044	595734.89	356770.76	121.05	2.98	9.19E-7	9.00		8.37	2.77
	L0010045	595751.71	356777.17	120.62	2.98	9.19E-7	9.00		8.37	2.77
	L0010046	595768.53	356783.58	120.19	2.98	9.19E-7	9.00		8.37	2.77
	L0010047	595785.35	356789.99	119.76	2.98	9.19E-7	9.00		8.37	2.77
	L0010048	595802.16	356796.40	119.34	2.98	9.19E-7	9.00		8.37	2.77
	L0010049	595818.98	356802.82	118.91	2.98	9.19E-7	9.00		8.37	2.77
	L0010050	595835.80	356809.23	118.48	2.98	9.19E-7	9.00		8.37	2.77
	L0010051	595852.62	356815.64	118.05	2.98	9.19E-7	9.00		8.37	2.77
	L0010052	595868.55	356823.91	117.69	2.98	9.19E-7	9.00		8.37	2.77
	L0010053	595884.08	356833.02	117.35	2.98	9.19E-7	9.00		8.37	2.77
	L0010054	595899.61	356842.12	117.02	2.98	9.19E-7	9.00		8.37	2.77
	L0010055	595915.13	356851.22	116.68	2.98	9.19E-7	9.00		8.37	2.77
	L0010056	595930.66	356860.33	116.34	2.98	9.19E-7	9.00		8.37	2.77
	L0010057	595946.19	356869.43	116.01	2.98	9.19E-7	9.00		8.37	2.77
	L0010058	595961.72	356878.53	115.67	2.98	9.19E-7	9.00		8.37	2.77
	L0010059	595977.25	356887.63	115.34	2.98	9.19E-7	9.00		8.37	2.77
	L0010060	595992.78	356896.74	115.00	2.98	9.19E-7	9.00		8.37	2.77
	L0010061	596008.31	356905.84	114.66	2.98	9.19E-7	9.00		8.37	2.77
Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V6	L0010062	594069.70	355517.65	148.55	2.98	0.00034	9.00		8.37	2.77
	L0010063	594069.13	355535.64	150.17	2.98	0.00034	9.00		8.37	2.77
	L0010064	594068.55	355553.63	151.79	2.98	0.00034	9.00		8.37	2.77



# Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V6	L0010065	594067.98	355571.62	153.41	2.98	0.00034	9.00		8.37	2.77
	L0010066	594065.79	355589.29	154.76	2.98	0.00034	9.00		8.37	2.77
	L0010067	594059.30	355606.08	155.37	2.98	0.00034	9.00		8.37	2.77
	L0010068	594052.82	355622.87	155.98	2.98	0.00034	9.00		8.37	2.77
	L0010069	594046.13	355639.56	156.45	2.98	0.00034	9.00		8.37	2.77
	L0010070	594036.72	355654.90	154.96	2.98	0.00034	9.00		8.37	2.77
	L0010071	594027.30	355670.24	153.48	2.98	0.00034	9.00		8.37	2.77
	L0010072	594017.89	355685.58	151.99	2.98	0.00034	9.00		8.37	2.77
	L0010073	594006.40	355699.32	150.99	2.98	0.00034	9.00		8.37	2.77
	L0010074	593993.91	355712.29	150.22	2.98	0.00034	9.00		8.37	2.77
	L0010075	593981.43	355725.25	149.46	2.98	0.00034	9.00		8.37	2.77
	L0010076	593968.94	355738.22	148.69	2.98	0.00034	9.00		8.37	2.77
	L0010077	593955.76	355750.34	147.78	2.98	0.00034	9.00		8.37	2.77
	L0010078	593940.61	355760.06	146.48	2.98	0.00034	9.00		8.37	2.77
	L0010079	593925.46	355769.78	145.18	2.98	0.00034	9.00		8.37	2.77
	L0010080	593910.31	355779.50	143.88	2.98	0.00034	9.00		8.37	2.77
	L0010081	593894.37	355787.79	141.87	2.98	0.00034	9.00		8.37	2.77