

Source Pathway - Source Inputs

AERMOD

Area Sources

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Length of X Side [m]	Length of Y Side [m]	Orientation Angle from North [deg]	Initial Vertical Dim. [m]
AREA	A3	593584.11	355695.43	142.70	1.00	0.00106	5.06	3.89	-30.00	
		Pāvulkalni - Apstrāde sijāšana								
AREA	A4	593562.14	355732.04	142.95	1.00	0.00410	5.06	3.89	-30.00	0.00
		Pāvulkalni - Apstrāde sijāšana								
AREA	B3	594589.76	355152.88	142.59	1.00	0.00106	5.06	3.89	-30.00	0.00
		Pāvuli - Apstrāde sijāšana								
AREA	B4	594612.63	355154.31	139.97	1.00	0.00410	5.06	3.89	-30.00	0.00
		Pāvuli - Apstrāde drupināšana								
AREA	C3	595080.66	355219.27	152.14	1.00	0.00106	5.06	3.89	0.00	0.00
		Foreles - Apstrāde sijāšana								
AREA	C4	595116.73	355210.02	151.07	1.00	0.00410	5.06	3.89	0.00	0.00
		Foreles - Apstrāde drupināšana								

Source Pathway - Source Inputs

AERMOD

Polygon Area Sources

Source Type: AREA POLY

Source: A1 (Pāvulkalni - Ekskavatori un pārkaušana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
133.63	1.00	2.94E-6		8	593387.92	355746.75
		2.94E-6			593592.02	355795.99
		2.94E-6			593622.66	355729.95
		2.94E-6			593614.21	355586.24
		2.94E-6			593522.80	355596.28
		2.94E-6			593434.57	355627.98
		2.94E-6			593434.05	355641.72
		2.94E-6			593393.89	355733.12

Source Type: AREA POLY

Source: A2 (Pāvulkalni - Frontālais iekrāvējs un pārkraušana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
133.63	1.00	1.33E-6	0.00	8	593387.92	355746.75
		1.33E-6			593592.02	355795.99
		1.33E-6			593622.66	355729.95
		1.33E-6			593614.21	355586.24
		1.33E-6			593522.80	355596.28
		1.33E-6			593434.57	355627.98
		1.33E-6			593434.05	355641.72
		1.33E-6			593393.89	355733.12

Source Pathway - Source Inputs

AERMOD

Source Type: AREA POLY

Source: C1 (Foreles - Ekskavators un pārkaušana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
147.10	1.00	1.08E-6		6	595146.67	355108.60
		1.08E-6			595070.83	355140.30
		1.08E-6			594924.75	355182.57
		1.08E-6			594824.05	355229.82
		1.08E-6			594960.19	355351.65
		1.08E-6			595167.18	355282.65

Source Type: AREA POLY

Source: C2 (Foreles - Frontālais iekrāvējs un pārkraušana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
147.10	1.00	9.75E-7	0.00	6	595146.67	355108.60
		9.75E-7			595070.83	355140.30
		9.75E-7			594924.75	355182.57
		9.75E-7			594824.05	355229.82
		9.75E-7			594960.19	355351.65
		9.75E-7			595167.18	355282.65

Source Type: AREA POLY

Source: C5 (Foreles - Segkārtā)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
147.10	1.00	1.09E-6	0.00	6	595146.67	355108.60
		1.09E-6			595070.83	355140.30
		1.09E-6			594924.75	355182.57
		1.09E-6			594824.05	355229.82
		1.09E-6			594960.19	355351.65
		1.09E-6			595167.18	355282.65

Source Pathway - Source Inputs

AERMOD

Source Type: AREA POLY

Source: B1 (Pāvuli - Ekskavatori un pārkaušana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
140.43	1.00	3.51E-6	0.00	6	594772.06	355182.75
		3.51E-6			594756.47	355004.28
		3.51E-6			594552.68	354983.61
		3.51E-6			594504.99	355167.71
		3.51E-6			594563.66	355154.89
		3.51E-6			594605.26	355188.80

Source Type: AREA POLY

Source: B2 (Pāvuli - Frontālie iekrāveji un pārkraušana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
140.43	1.00	2.11E-6	0.00	6	594772.06	355182.75
		2.11E-6			594756.47	355004.28
		2.11E-6			594552.68	354983.61
		2.11E-6			594504.99	355167.71
		2.11E-6			594563.66	355154.89
		2.11E-6			594605.26	355188.80

Source Pathway - Source Inputs

AERMOD

Line Volume Sources

Source Type: LINE VOLUME

Source: A6 (Pāvulkalni - no atradnes uz P28)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.00040		593562.70	355708.21	143.16	2.98
			593626.79	355744.02	140.15	2.98
			593692.06	355778.01	139.21	2.98
			593737.69	355805.53	140.83	2.98
			593775.82	355775.05	140.12	2.98
			593826.89	355732.95	141.14	2.98

Source Type: LINE VOLUME

Source: B5 (Pāvuli - no atradnes uz V297)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.00096		594605.36	355173.01	138.04	2.98
			594466.40	355176.15	148.26	2.98
			594428.81	355188.84	150.04	2.98
			594402.23	355202.75	150.02	2.98
			594331.98	355252.29	151.93	2.98
			594314.35	355273.48	152.55	2.98
			594307.62	355295.71	152.75	2.98

Source Type: LINE VOLUME

Source: C6 (Foreles no atradnes uz V297)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.00005		595101.03	355220.53	151.18	2.98
			595089.10	355190.67	153.02	2.98
			595081.36	355166.14	153.27	2.98
			595077.82	355150.68	153.89	2.98
			595072.18	355133.15	154.11	2.98

Source Pathway - Source Inputs

AERMOD

Source Type: LINE VOLUME

Source: C7 (Foreles pa V297)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.00125		595069.68	355118.91	152.98	2.98
			594951.17	355148.98	159.46	2.98
			594861.83	355186.13	162.39	2.98
			594720.32	355269.27	163.88	2.98
			594644.25	355306.42	162.96	2.98
			594562.88	355324.11	161.89	2.98
			594440.83	355340.91	156.77	2.98
			594409.59	355339.46	155.70	2.98
			594301.88	355305.04	152.53	2.98
			594232.07	355300.28	150.23	2.98
			593875.81	355275.79	139.42	2.98
			593574.65	355257.43	135.01	2.98

Source Pathway - Source Inputs

AERMOD

Source Type: LINE VOLUME

Source: D1 (Pāvulkalni un Foreles pa P28)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0.00438		592043.39	355463.10	123.10	2.98
			592280.20	355422.71	111.09	2.98
			592725.65	355371.44	110.50	2.98
			593020.48	355310.55	125.38	2.98
			593363.37	355259.27	133.45	2.98
			593565.26	355256.07	134.91	2.98
			593645.38	355393.87	138.28	2.98
			593796.00	355656.65	141.36	2.98
			593901.75	355845.72	141.53	2.98
			594004.30	355919.43	141.60	2.98
			594135.69	355951.48	142.11	2.98
			594318.35	355961.09	141.82	2.98
			594481.79	355980.32	141.62	2.98
			594642.02	356034.80	140.45	2.98
			594779.82	356134.14	136.59	2.98
			595059.66	356372.98	132.28	2.98
			595314.17	356582.74	131.60	2.98
			595535.12	356694.61	126.13	2.98
			595857.79	356817.61	117.92	2.98
			596021.90	356913.81	114.37	2.98

Source Pathway - Source Inputs

AERMOD

Volume Sources Generated from Line Sources

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
B5	L0010846	594600.86	355173.11	138.37	2.98	0.00005	9.00		8.37	2.77
	L0010847	594582.86	355173.52	139.69	2.98	0.00005	9.00		8.37	2.77
	L0010848	594564.87	355173.93	141.02	2.98	0.00005	9.00		8.37	2.77
	L0010849	594546.87	355174.33	142.34	2.98	0.00005	9.00		8.37	2.77
	L0010850	594528.88	355174.74	143.66	2.98	0.00005	9.00		8.37	2.77
	L0010851	594510.88	355175.14	144.99	2.98	0.00005	9.00		8.37	2.77
	L0010852	594492.89	355175.55	146.31	2.98	0.00005	9.00		8.37	2.77
	L0010853	594474.89	355175.95	147.64	2.98	0.00005	9.00		8.37	2.77
	L0010854	594457.39	355179.19	148.69	2.98	0.00005	9.00		8.37	2.77
	L0010855	594440.34	355184.94	149.49	2.98	0.00005	9.00		8.37	2.77
	L0010856	594423.64	355191.54	150.04	2.98	0.00005	9.00		8.37	2.77
	L0010857	594407.69	355199.89	150.02	2.98	0.00005	9.00		8.37	2.77
	L0010858	594392.56	355209.57	150.28	2.98	0.00005	9.00		8.37	2.77
	L0010859	594377.85	355219.94	150.68	2.98	0.00005	9.00		8.37	2.77
	L0010860	594363.14	355230.31	151.08	2.98	0.00005	9.00		8.37	2.77
	L0010861	594348.43	355240.69	151.48	2.98	0.00005	9.00		8.37	2.77
	L0010862	594333.72	355251.06	151.88	2.98	0.00005	9.00		8.37	2.77
	L0010863	594321.83	355264.49	152.29	2.98	0.00005	9.00		8.37	2.77
	L0010864	594312.53	355279.52	152.60	2.98	0.00005	9.00		8.37	2.77
Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
A6	L0010865	593566.63	355710.40	142.98	2.98	0.00002	9.00		8.37	2.77
	L0010866	593582.34	355719.18	142.24	2.98	0.00002	9.00		8.37	2.77
	L0010867	593598.05	355727.96	141.50	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
A6	L0010868	593613.77	355736.74	140.76	2.98	0.00002	9.00		8.37	2.77
	L0010869	593629.52	355745.44	140.11	2.98	0.00002	9.00		8.37	2.77
	L0010870	593645.49	355753.75	139.88	2.98	0.00002	9.00		8.37	2.77
	L0010871	593661.45	355762.07	139.65	2.98	0.00002	9.00		8.37	2.77
	L0010872	593677.42	355770.38	139.42	2.98	0.00002	9.00		8.37	2.77
	L0010873	593693.34	355778.78	139.26	2.98	0.00002	9.00		8.37	2.77
	L0010874	593708.75	355788.07	139.80	2.98	0.00002	9.00		8.37	2.77
	L0010875	593724.16	355797.37	140.35	2.98	0.00002	9.00		8.37	2.77
	L0010876	593739.41	355804.16	140.80	2.98	0.00002	9.00		8.37	2.77
	L0010877	593753.47	355792.92	140.54	2.98	0.00002	9.00		8.37	2.77
	L0010878	593767.53	355781.68	140.27	2.98	0.00002	9.00		8.37	2.77
	L0010879	593781.52	355770.35	140.23	2.98	0.00002	9.00		8.37	2.77
	L0010880	593795.41	355758.90	140.51	2.98	0.00002	9.00		8.37	2.77
	L0010881	593809.30	355747.45	140.79	2.98	0.00002	9.00		8.37	2.77
	L0010882	593823.19	355736.00	141.07	2.98	0.00002	9.00		8.37	2.77

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
C6	L0010883	595099.36	355216.35	151.44	2.98	9.92E-6	9.00		8.37	2.77
	L0010884	595092.69	355199.64	152.47	2.98	9.92E-6	9.00		8.37	2.77
	L0010885	595086.59	355182.71	153.10	2.98	9.92E-6	9.00		8.37	2.77
	L0010886	595081.22	355165.54	153.29	2.98	9.92E-6	9.00		8.37	2.77
	L0010887	595076.98	355148.05	153.92	2.98	9.92E-6	9.00		8.37	2.77

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
----------------	------------------	------------------	------------------	--------------------	--------------------	---------------------	--------------------	---------------------	-------------------------------	--------------------------------

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
C7	L0010888	595065.32	355120.02	153.22	2.98	0.00001	9.00		8.37	2.77
	L0010889	595047.87	355124.44	154.17	2.98	0.00001	9.00		8.37	2.77
	L0010890	595030.43	355128.87	155.13	2.98	0.00001	9.00		8.37	2.77
	L0010891	595012.98	355133.30	156.08	2.98	0.00001	9.00		8.37	2.77
	L0010892	594995.53	355137.73	157.03	2.98	0.00001	9.00		8.37	2.77
	L0010893	594978.09	355142.15	157.99	2.98	0.00001	9.00		8.37	2.77
	L0010894	594960.64	355146.58	158.94	2.98	0.00001	9.00		8.37	2.77
	L0010895	594943.57	355152.14	159.71	2.98	0.00001	9.00		8.37	2.77
	L0010896	594926.95	355159.05	160.25	2.98	0.00001	9.00		8.37	2.77
	L0010897	594910.33	355165.96	160.80	2.98	0.00001	9.00		8.37	2.77
	L0010898	594893.71	355172.88	161.34	2.98	0.00001	9.00		8.37	2.77
	L0010899	594877.09	355179.79	161.89	2.98	0.00001	9.00		8.37	2.77
	L0010900	594860.56	355186.88	162.40	2.98	0.00001	9.00		8.37	2.77
	L0010901	594845.04	355196.00	162.57	2.98	0.00001	9.00		8.37	2.77
	L0010902	594829.52	355205.12	162.73	2.98	0.00001	9.00		8.37	2.77
	L0010903	594814.00	355214.23	162.89	2.98	0.00001	9.00		8.37	2.77
	L0010904	594798.48	355223.35	163.06	2.98	0.00001	9.00		8.37	2.77
	L0010905	594782.96	355232.47	163.22	2.98	0.00001	9.00		8.37	2.77
	L0010906	594767.44	355241.59	163.38	2.98	0.00001	9.00		8.37	2.77
	L0010907	594751.92	355250.70	163.55	2.98	0.00001	9.00		8.37	2.77
	L0010908	594736.40	355259.82	163.71	2.98	0.00001	9.00		8.37	2.77
	L0010909	594720.88	355268.94	163.87	2.98	0.00001	9.00		8.37	2.77
	L0010910	594704.73	355276.88	163.69	2.98	0.00001	9.00		8.37	2.77
	L0010911	594688.56	355284.78	163.50	2.98	0.00001	9.00		8.37	2.77
	L0010912	594672.38	355292.68	163.30	2.98	0.00001	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
C7	L0010913	594656.21	355300.58	163.10	2.98	0.00001	9.00		8.37	2.77
	L0010914	594639.66	355307.42	162.90	2.98	0.00001	9.00		8.37	2.77
	L0010915	594622.07	355311.24	162.67	2.98	0.00001	9.00		8.37	2.77
	L0010916	594604.49	355315.06	162.44	2.98	0.00001	9.00		8.37	2.77
	L0010917	594586.90	355318.89	162.21	2.98	0.00001	9.00		8.37	2.77
	L0010918	594569.31	355322.71	161.97	2.98	0.00001	9.00		8.37	2.77
	L0010919	594551.56	355325.67	161.42	2.98	0.00001	9.00		8.37	2.77
	L0010920	594533.73	355328.12	160.67	2.98	0.00001	9.00		8.37	2.77
	L0010921	594515.90	355330.58	159.92	2.98	0.00001	9.00		8.37	2.77
	L0010922	594498.07	355333.03	159.17	2.98	0.00001	9.00		8.37	2.77
	L0010923	594480.24	355335.49	158.42	2.98	0.00001	9.00		8.37	2.77
	L0010924	594462.41	355337.94	157.68	2.98	0.00001	9.00		8.37	2.77
	L0010925	594444.57	355340.40	156.93	2.98	0.00001	9.00		8.37	2.77
	L0010926	594426.62	355340.25	156.28	2.98	0.00001	9.00		8.37	2.77
	L0010927	594408.69	355339.17	155.67	2.98	0.00001	9.00		8.37	2.77
	L0010928	594391.54	355333.69	155.17	2.98	0.00001	9.00		8.37	2.77
	L0010929	594374.40	355328.21	154.66	2.98	0.00001	9.00		8.37	2.77
	L0010930	594357.25	355322.73	154.16	2.98	0.00001	9.00		8.37	2.77
	L0010931	594340.10	355317.25	153.65	2.98	0.00001	9.00		8.37	2.77
	L0010932	594322.96	355311.78	153.15	2.98	0.00001	9.00		8.37	2.77
	L0010933	594305.81	355306.30	152.65	2.98	0.00001	9.00		8.37	2.77
	L0010934	594288.04	355304.10	152.07	2.98	0.00001	9.00		8.37	2.77
	L0010935	594270.08	355302.87	151.48	2.98	0.00001	9.00		8.37	2.77
	L0010936	594252.12	355301.65	150.89	2.98	0.00001	9.00		8.37	2.77
	L0010937	594234.16	355300.42	150.30	2.98	0.00001	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
C7	L0010938	594216.21	355299.19	149.75	2.98	0.00001	9.00		8.37	2.77
	L0010939	594198.25	355297.96	149.20	2.98	0.00001	9.00		8.37	2.77
	L0010940	594180.29	355296.72	148.66	2.98	0.00001	9.00		8.37	2.77
	L0010941	594162.33	355295.49	148.11	2.98	0.00001	9.00		8.37	2.77
	L0010942	594144.38	355294.25	147.57	2.98	0.00001	9.00		8.37	2.77
	L0010943	594126.42	355293.02	147.02	2.98	0.00001	9.00		8.37	2.77
	L0010944	594108.46	355291.78	146.48	2.98	0.00001	9.00		8.37	2.77
	L0010945	594090.50	355290.55	145.93	2.98	0.00001	9.00		8.37	2.77
	L0010946	594072.55	355289.32	145.39	2.98	0.00001	9.00		8.37	2.77
	L0010947	594054.59	355288.08	144.84	2.98	0.00001	9.00		8.37	2.77
	L0010948	594036.63	355286.85	144.30	2.98	0.00001	9.00		8.37	2.77
	L0010949	594018.67	355285.61	143.75	2.98	0.00001	9.00		8.37	2.77
	L0010950	594000.72	355284.38	143.21	2.98	0.00001	9.00		8.37	2.77
	L0010951	593982.76	355283.14	142.67	2.98	0.00001	9.00		8.37	2.77
	L0010952	593964.80	355281.91	142.12	2.98	0.00001	9.00		8.37	2.77
	L0010953	593946.84	355280.68	141.58	2.98	0.00001	9.00		8.37	2.77
	L0010954	593928.88	355279.44	141.03	2.98	0.00001	9.00		8.37	2.77
	L0010955	593910.93	355278.21	140.49	2.98	0.00001	9.00		8.37	2.77
	L0010956	593892.97	355276.97	139.94	2.98	0.00001	9.00		8.37	2.77
	L0010957	593875.01	355275.75	139.41	2.98	0.00001	9.00		8.37	2.77
	L0010958	593857.04	355274.65	139.15	2.98	0.00001	9.00		8.37	2.77
	L0010959	593839.08	355273.55	138.88	2.98	0.00001	9.00		8.37	2.77
	L0010960	593821.11	355272.46	138.62	2.98	0.00001	9.00		8.37	2.77
	L0010961	593803.14	355271.36	138.36	2.98	0.00001	9.00		8.37	2.77
	L0010962	593785.18	355270.27	138.09	2.98	0.00001	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
C7	L0010963	593767.21	355269.17	137.83	2.98	0.00001	9.00		8.37	2.77
	L0010964	593749.24	355268.08	137.57	2.98	0.00001	9.00		8.37	2.77
	L0010965	593731.28	355266.98	137.30	2.98	0.00001	9.00		8.37	2.77
	L0010966	593713.31	355265.89	137.04	2.98	0.00001	9.00		8.37	2.77
	L0010967	593695.35	355264.79	136.78	2.98	0.00001	9.00		8.37	2.77
	L0010968	593677.38	355263.70	136.51	2.98	0.00001	9.00		8.37	2.77
	L0010969	593659.41	355262.60	136.25	2.98	0.00001	9.00		8.37	2.77
	L0010970	593641.45	355261.50	135.99	2.98	0.00001	9.00		8.37	2.77
	L0010971	593623.48	355260.41	135.73	2.98	0.00001	9.00		8.37	2.77
	L0010972	593605.51	355259.31	135.46	2.98	0.00001	9.00		8.37	2.77
	L0010973	593587.55	355258.22	135.20	2.98	0.00001	9.00		8.37	2.77

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0010974	592047.83	355462.34	122.88	2.98	0.00002	9.00		8.37	2.77
	L0010975	592065.57	355459.32	121.98	2.98	0.00002	9.00		8.37	2.77
	L0010976	592083.31	355456.29	121.08	2.98	0.00002	9.00		8.37	2.77
	L0010977	592101.06	355453.26	120.18	2.98	0.00002	9.00		8.37	2.77
	L0010978	592118.80	355450.24	119.28	2.98	0.00002	9.00		8.37	2.77
	L0010979	592136.54	355447.21	118.38	2.98	0.00002	9.00		8.37	2.77
	L0010980	592154.29	355444.19	117.48	2.98	0.00002	9.00		8.37	2.77
	L0010981	592172.03	355441.16	116.58	2.98	0.00002	9.00		8.37	2.77
	L0010982	592189.78	355438.13	115.68	2.98	0.00002	9.00		8.37	2.77
	L0010983	592207.52	355435.11	114.78	2.98	0.00002	9.00		8.37	2.77
	L0010984	592225.26	355432.08	113.88	2.98	0.00002	9.00		8.37	2.77
	L0010985	592243.01	355429.06	112.98	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0010986	592260.75	355426.03	112.08	2.98	0.00002	9.00		8.37	2.77
	L0010987	592278.50	355423.00	111.18	2.98	0.00002	9.00		8.37	2.77
	L0010988	592296.36	355420.85	111.07	2.98	0.00002	9.00		8.37	2.77
	L0010989	592314.25	355418.79	111.04	2.98	0.00002	9.00		8.37	2.77
	L0010990	592332.13	355416.73	111.02	2.98	0.00002	9.00		8.37	2.77
	L0010991	592350.01	355414.68	111.00	2.98	0.00002	9.00		8.37	2.77
	L0010992	592367.89	355412.62	110.97	2.98	0.00002	9.00		8.37	2.77
	L0010993	592385.77	355410.56	110.95	2.98	0.00002	9.00		8.37	2.77
	L0010994	592403.66	355408.50	110.93	2.98	0.00002	9.00		8.37	2.77
	L0010995	592421.54	355406.44	110.90	2.98	0.00002	9.00		8.37	2.77
	L0010996	592439.42	355404.38	110.88	2.98	0.00002	9.00		8.37	2.77
	L0010997	592457.30	355402.33	110.86	2.98	0.00002	9.00		8.37	2.77
	L0010998	592475.18	355400.27	110.83	2.98	0.00002	9.00		8.37	2.77
	L0010999	592493.06	355398.21	110.81	2.98	0.00002	9.00		8.37	2.77
	L0011000	592510.95	355396.15	110.78	2.98	0.00002	9.00		8.37	2.77
	L0011001	592528.83	355394.09	110.76	2.98	0.00002	9.00		8.37	2.77
	L0011002	592546.71	355392.03	110.74	2.98	0.00002	9.00		8.37	2.77
	L0011003	592564.59	355389.98	110.71	2.98	0.00002	9.00		8.37	2.77
	L0011004	592582.47	355387.92	110.69	2.98	0.00002	9.00		8.37	2.77
	L0011005	592600.36	355385.86	110.67	2.98	0.00002	9.00		8.37	2.77
	L0011006	592618.24	355383.80	110.64	2.98	0.00002	9.00		8.37	2.77
	L0011007	592636.12	355381.74	110.62	2.98	0.00002	9.00		8.37	2.77
	L0011008	592654.00	355379.68	110.59	2.98	0.00002	9.00		8.37	2.77
	L0011009	592671.88	355377.63	110.57	2.98	0.00002	9.00		8.37	2.77
	L0011010	592689.77	355375.57	110.55	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011011	592707.65	355373.51	110.52	2.98	0.00002	9.00		8.37	2.77
	L0011012	592725.53	355371.45	110.50	2.98	0.00002	9.00		8.37	2.77
	L0011013	592743.16	355367.82	111.38	2.98	0.00002	9.00		8.37	2.77
	L0011014	592760.79	355364.18	112.27	2.98	0.00002	9.00		8.37	2.77
	L0011015	592778.42	355360.54	113.16	2.98	0.00002	9.00		8.37	2.77
	L0011016	592796.04	355356.90	114.05	2.98	0.00002	9.00		8.37	2.77
	L0011017	592813.67	355353.26	114.94	2.98	0.00002	9.00		8.37	2.77
	L0011018	592831.30	355349.62	115.83	2.98	0.00002	9.00		8.37	2.77
	L0011019	592848.93	355345.98	116.72	2.98	0.00002	9.00		8.37	2.77
	L0011020	592866.56	355342.34	117.61	2.98	0.00002	9.00		8.37	2.77
	L0011021	592884.18	355338.70	118.50	2.98	0.00002	9.00		8.37	2.77
	L0011022	592901.81	355335.06	119.39	2.98	0.00002	9.00		8.37	2.77
	L0011023	592919.44	355331.42	120.28	2.98	0.00002	9.00		8.37	2.77
	L0011024	592937.07	355327.77	121.17	2.98	0.00002	9.00		8.37	2.77
	L0011025	592954.70	355324.13	122.06	2.98	0.00002	9.00		8.37	2.77
	L0011026	592972.32	355320.49	122.95	2.98	0.00002	9.00		8.37	2.77
	L0011027	592989.95	355316.85	123.84	2.98	0.00002	9.00		8.37	2.77
	L0011028	593007.58	355313.21	124.73	2.98	0.00002	9.00		8.37	2.77
	L0011029	593025.25	355309.83	125.49	2.98	0.00002	9.00		8.37	2.77
	L0011030	593043.06	355307.17	125.91	2.98	0.00002	9.00		8.37	2.77
	L0011031	593060.86	355304.51	126.33	2.98	0.00002	9.00		8.37	2.77
	L0011032	593078.66	355301.85	126.75	2.98	0.00002	9.00		8.37	2.77
	L0011033	593096.46	355299.19	127.17	2.98	0.00002	9.00		8.37	2.77
	L0011034	593114.26	355296.52	127.59	2.98	0.00002	9.00		8.37	2.77
	L0011035	593132.07	355293.86	128.01	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011036	593149.87	355291.20	128.43	2.98	0.00002	9.00		8.37	2.77
	L0011037	593167.67	355288.54	128.84	2.98	0.00002	9.00		8.37	2.77
	L0011038	593185.47	355285.88	129.26	2.98	0.00002	9.00		8.37	2.77
	L0011039	593203.28	355283.21	129.68	2.98	0.00002	9.00		8.37	2.77
	L0011040	593221.08	355280.55	130.10	2.98	0.00002	9.00		8.37	2.77
	L0011041	593238.88	355277.89	130.52	2.98	0.00002	9.00		8.37	2.77
	L0011042	593256.68	355275.23	130.94	2.98	0.00002	9.00		8.37	2.77
	L0011043	593274.48	355272.57	131.36	2.98	0.00002	9.00		8.37	2.77
	L0011044	593292.29	355269.90	131.78	2.98	0.00002	9.00		8.37	2.77
	L0011045	593310.09	355267.24	132.20	2.98	0.00002	9.00		8.37	2.77
	L0011046	593327.89	355264.58	132.61	2.98	0.00002	9.00		8.37	2.77
	L0011047	593345.69	355261.92	133.03	2.98	0.00002	9.00		8.37	2.77
	L0011048	593363.50	355259.27	133.45	2.98	0.00002	9.00		8.37	2.77
	L0011049	593381.49	355258.99	133.58	2.98	0.00002	9.00		8.37	2.77
	L0011050	593399.49	355258.70	133.71	2.98	0.00002	9.00		8.37	2.77
	L0011051	593417.49	355258.42	133.84	2.98	0.00002	9.00		8.37	2.77
	L0011052	593435.49	355258.13	133.97	2.98	0.00002	9.00		8.37	2.77
	L0011053	593453.48	355257.84	134.10	2.98	0.00002	9.00		8.37	2.77
	L0011054	593471.48	355257.56	134.23	2.98	0.00002	9.00		8.37	2.77
	L0011055	593489.48	355257.27	134.36	2.98	0.00002	9.00		8.37	2.77
	L0011056	593507.48	355256.99	134.49	2.98	0.00002	9.00		8.37	2.77
	L0011057	593525.47	355256.70	134.62	2.98	0.00002	9.00		8.37	2.77
	L0011058	593543.47	355256.42	134.75	2.98	0.00002	9.00		8.37	2.77
	L0011059	593561.47	355256.13	134.88	2.98	0.00002	9.00		8.37	2.77
	L0011060	593572.40	355268.35	135.21	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011061	593581.45	355283.91	135.59	2.98	0.00002	9.00		8.37	2.77
	L0011062	593590.50	355299.47	135.97	2.98	0.00002	9.00		8.37	2.77
	L0011063	593599.55	355315.03	136.35	2.98	0.00002	9.00		8.37	2.77
	L0011064	593608.59	355330.59	136.73	2.98	0.00002	9.00		8.37	2.77
	L0011065	593617.64	355346.16	137.11	2.98	0.00002	9.00		8.37	2.77
	L0011066	593626.69	355361.72	137.49	2.98	0.00002	9.00		8.37	2.77
	L0011067	593635.73	355377.28	137.87	2.98	0.00002	9.00		8.37	2.77
	L0011068	593644.78	355392.84	138.25	2.98	0.00002	9.00		8.37	2.77
	L0011069	593653.74	355408.45	138.45	2.98	0.00002	9.00		8.37	2.77
	L0011070	593662.69	355424.07	138.63	2.98	0.00002	9.00		8.37	2.77
	L0011071	593671.64	355439.69	138.82	2.98	0.00002	9.00		8.37	2.77
	L0011072	593680.59	355455.30	139.00	2.98	0.00002	9.00		8.37	2.77
	L0011073	593689.54	355470.92	139.18	2.98	0.00002	9.00		8.37	2.77
	L0011074	593698.49	355486.54	139.37	2.98	0.00002	9.00		8.37	2.77
	L0011075	593707.45	355502.15	139.55	2.98	0.00002	9.00		8.37	2.77
	L0011076	593716.40	355517.77	139.73	2.98	0.00002	9.00		8.37	2.77
	L0011077	593725.35	355533.39	139.92	2.98	0.00002	9.00		8.37	2.77
	L0011078	593734.30	355549.00	140.10	2.98	0.00002	9.00		8.37	2.77
	L0011079	593743.25	355564.62	140.28	2.98	0.00002	9.00		8.37	2.77
	L0011080	593752.20	355580.24	140.46	2.98	0.00002	9.00		8.37	2.77
	L0011081	593761.15	355595.85	140.65	2.98	0.00002	9.00		8.37	2.77
	L0011082	593770.10	355611.47	140.83	2.98	0.00002	9.00		8.37	2.77
	L0011083	593779.05	355627.09	141.01	2.98	0.00002	9.00		8.37	2.77
	L0011084	593788.00	355642.70	141.20	2.98	0.00002	9.00		8.37	2.77
	L0011085	593796.94	355658.33	141.36	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011086	593805.72	355674.04	141.38	2.98	0.00002	9.00		8.37	2.77
	L0011087	593814.51	355689.75	141.39	2.98	0.00002	9.00		8.37	2.77
	L0011088	593823.30	355705.46	141.40	2.98	0.00002	9.00		8.37	2.77
	L0011089	593832.08	355721.17	141.42	2.98	0.00002	9.00		8.37	2.77
	L0011090	593840.87	355736.88	141.43	2.98	0.00002	9.00		8.37	2.77
	L0011091	593849.66	355752.59	141.45	2.98	0.00002	9.00		8.37	2.77
	L0011092	593858.44	355768.30	141.46	2.98	0.00002	9.00		8.37	2.77
	L0011093	593867.23	355784.01	141.47	2.98	0.00002	9.00		8.37	2.77
	L0011094	593876.02	355799.72	141.49	2.98	0.00002	9.00		8.37	2.77
	L0011095	593884.81	355815.43	141.50	2.98	0.00002	9.00		8.37	2.77
	L0011096	593893.59	355831.13	141.52	2.98	0.00002	9.00		8.37	2.77
	L0011097	593902.79	355846.47	141.53	2.98	0.00002	9.00		8.37	2.77
	L0011098	593917.41	355856.98	141.54	2.98	0.00002	9.00		8.37	2.77
	L0011099	593932.03	355867.48	141.55	2.98	0.00002	9.00		8.37	2.77
	L0011100	593946.64	355877.99	141.56	2.98	0.00002	9.00		8.37	2.77
	L0011101	593961.26	355888.49	141.57	2.98	0.00002	9.00		8.37	2.77
	L0011102	593975.88	355899.00	141.58	2.98	0.00002	9.00		8.37	2.77
	L0011103	593990.49	355909.51	141.59	2.98	0.00002	9.00		8.37	2.77
	L0011104	594005.27	355919.67	141.60	2.98	0.00002	9.00		8.37	2.77
	L0011105	594022.75	355923.93	141.67	2.98	0.00002	9.00		8.37	2.77
	L0011106	594040.24	355928.20	141.74	2.98	0.00002	9.00		8.37	2.77
	L0011107	594057.73	355932.46	141.81	2.98	0.00002	9.00		8.37	2.77
	L0011108	594075.22	355936.73	141.88	2.98	0.00002	9.00		8.37	2.77
	L0011109	594092.70	355940.99	141.94	2.98	0.00002	9.00		8.37	2.77
	L0011110	594110.19	355945.26	142.01	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011111	594127.68	355949.52	142.08	2.98	0.00002	9.00		8.37	2.77
	L0011112	594145.43	355951.99	142.09	2.98	0.00002	9.00		8.37	2.77
	L0011113	594163.41	355952.94	142.07	2.98	0.00002	9.00		8.37	2.77
	L0011114	594181.38	355953.88	142.04	2.98	0.00002	9.00		8.37	2.77
	L0011115	594199.36	355954.83	142.01	2.98	0.00002	9.00		8.37	2.77
	L0011116	594217.33	355955.77	141.98	2.98	0.00002	9.00		8.37	2.77
	L0011117	594235.31	355956.72	141.95	2.98	0.00002	9.00		8.37	2.77
	L0011118	594253.28	355957.67	141.92	2.98	0.00002	9.00		8.37	2.77
	L0011119	594271.26	355958.61	141.89	2.98	0.00002	9.00		8.37	2.77
	L0011120	594289.23	355959.56	141.87	2.98	0.00002	9.00		8.37	2.77
	L0011121	594307.21	355960.50	141.84	2.98	0.00002	9.00		8.37	2.77
	L0011122	594325.14	355961.89	141.81	2.98	0.00002	9.00		8.37	2.77
	L0011123	594343.02	355963.99	141.79	2.98	0.00002	9.00		8.37	2.77
	L0011124	594360.90	355966.10	141.77	2.98	0.00002	9.00		8.37	2.77
	L0011125	594378.77	355968.20	141.75	2.98	0.00002	9.00		8.37	2.77
	L0011126	594396.65	355970.30	141.72	2.98	0.00002	9.00		8.37	2.77
	L0011127	594414.53	355972.41	141.70	2.98	0.00002	9.00		8.37	2.77
	L0011128	594432.40	355974.51	141.68	2.98	0.00002	9.00		8.37	2.77
	L0011129	594450.28	355976.61	141.66	2.98	0.00002	9.00		8.37	2.77
	L0011130	594468.16	355978.71	141.64	2.98	0.00002	9.00		8.37	2.77
	L0011131	594485.84	355981.69	141.59	2.98	0.00002	9.00		8.37	2.77
	L0011132	594502.88	355987.49	141.47	2.98	0.00002	9.00		8.37	2.77
	L0011133	594519.92	355993.28	141.34	2.98	0.00002	9.00		8.37	2.77
	L0011134	594536.96	355999.08	141.22	2.98	0.00002	9.00		8.37	2.77
	L0011135	594554.00	356004.87	141.09	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011136	594571.05	356010.66	140.97	2.98	0.00002	9.00		8.37	2.77
	L0011137	594588.09	356016.46	140.84	2.98	0.00002	9.00		8.37	2.77
	L0011138	594605.13	356022.25	140.72	2.98	0.00002	9.00		8.37	2.77
	L0011139	594622.17	356028.05	140.59	2.98	0.00002	9.00		8.37	2.77
	L0011140	594639.21	356033.84	140.47	2.98	0.00002	9.00		8.37	2.77
	L0011141	594654.22	356043.59	140.11	2.98	0.00002	9.00		8.37	2.77
	L0011142	594668.82	356054.11	139.70	2.98	0.00002	9.00		8.37	2.77
	L0011143	594683.42	356064.64	139.29	2.98	0.00002	9.00		8.37	2.77
	L0011144	594698.02	356075.17	138.88	2.98	0.00002	9.00		8.37	2.77
	L0011145	594712.62	356085.69	138.47	2.98	0.00002	9.00		8.37	2.77
	L0011146	594727.22	356096.22	138.06	2.98	0.00002	9.00		8.37	2.77
	L0011147	594741.82	356106.75	137.65	2.98	0.00002	9.00		8.37	2.77
	L0011148	594756.43	356117.27	137.25	2.98	0.00002	9.00		8.37	2.77
	L0011149	594771.03	356127.80	136.84	2.98	0.00002	9.00		8.37	2.77
	L0011150	594785.27	356138.79	136.51	2.98	0.00002	9.00		8.37	2.77
	L0011151	594798.96	356150.47	136.30	2.98	0.00002	9.00		8.37	2.77
	L0011152	594812.65	356162.16	136.08	2.98	0.00002	9.00		8.37	2.77
	L0011153	594826.34	356173.84	135.87	2.98	0.00002	9.00		8.37	2.77
	L0011154	594840.03	356185.53	135.66	2.98	0.00002	9.00		8.37	2.77
	L0011155	594853.72	356197.21	135.45	2.98	0.00002	9.00		8.37	2.77
	L0011156	594867.41	356208.90	135.24	2.98	0.00002	9.00		8.37	2.77
	L0011157	594881.11	356220.58	135.03	2.98	0.00002	9.00		8.37	2.77
	L0011158	594894.80	356232.27	134.82	2.98	0.00002	9.00		8.37	2.77
	L0011159	594908.49	356243.95	134.61	2.98	0.00002	9.00		8.37	2.77
	L0011160	594922.18	356255.64	134.40	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011161	594935.87	356267.32	134.19	2.98	0.00002	9.00		8.37	2.77
	L0011162	594949.56	356279.01	133.98	2.98	0.00002	9.00		8.37	2.77
	L0011163	594963.25	356290.70	133.76	2.98	0.00002	9.00		8.37	2.77
	L0011164	594976.95	356302.38	133.55	2.98	0.00002	9.00		8.37	2.77
	L0011165	594990.64	356314.07	133.34	2.98	0.00002	9.00		8.37	2.77
	L0011166	595004.33	356325.75	133.13	2.98	0.00002	9.00		8.37	2.77
	L0011167	595018.02	356337.44	132.92	2.98	0.00002	9.00		8.37	2.77
	L0011168	595031.71	356349.12	132.71	2.98	0.00002	9.00		8.37	2.77
	L0011169	595045.40	356360.81	132.50	2.98	0.00002	9.00		8.37	2.77
	L0011170	595059.09	356372.49	132.29	2.98	0.00002	9.00		8.37	2.77
	L0011171	595072.98	356383.95	132.24	2.98	0.00002	9.00		8.37	2.77
	L0011172	595086.87	356395.40	132.21	2.98	0.00002	9.00		8.37	2.77
	L0011173	595100.76	356406.85	132.17	2.98	0.00002	9.00		8.37	2.77
	L0011174	595114.65	356418.29	132.13	2.98	0.00002	9.00		8.37	2.77
	L0011175	595128.54	356429.74	132.10	2.98	0.00002	9.00		8.37	2.77
	L0011176	595142.43	356441.19	132.06	2.98	0.00002	9.00		8.37	2.77
	L0011177	595156.32	356452.64	132.02	2.98	0.00002	9.00		8.37	2.77
	L0011178	595170.21	356464.09	131.98	2.98	0.00002	9.00		8.37	2.77
	L0011179	595184.10	356475.53	131.95	2.98	0.00002	9.00		8.37	2.77
	L0011180	595197.99	356486.98	131.91	2.98	0.00002	9.00		8.37	2.77
	L0011181	595211.88	356498.43	131.87	2.98	0.00002	9.00		8.37	2.77
	L0011182	595225.77	356509.88	131.84	2.98	0.00002	9.00		8.37	2.77
	L0011183	595239.66	356521.33	131.80	2.98	0.00002	9.00		8.37	2.77
	L0011184	595253.55	356532.78	131.76	2.98	0.00002	9.00		8.37	2.77
	L0011185	595267.44	356544.22	131.72	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011186	595281.33	356555.67	131.69	2.98	0.00002	9.00		8.37	2.77
	L0011187	595295.22	356567.12	131.65	2.98	0.00002	9.00		8.37	2.77
	L0011188	595309.11	356578.57	131.61	2.98	0.00002	9.00		8.37	2.77
	L0011189	595324.38	356587.91	131.35	2.98	0.00002	9.00		8.37	2.77
	L0011190	595340.44	356596.04	130.95	2.98	0.00002	9.00		8.37	2.77
	L0011191	595356.50	356604.17	130.55	2.98	0.00002	9.00		8.37	2.77
	L0011192	595372.56	356612.30	130.15	2.98	0.00002	9.00		8.37	2.77
	L0011193	595388.62	356620.43	129.76	2.98	0.00002	9.00		8.37	2.77
	L0011194	595404.67	356628.56	129.36	2.98	0.00002	9.00		8.37	2.77
	L0011195	595420.73	356636.69	128.96	2.98	0.00002	9.00		8.37	2.77
	L0011196	595436.79	356644.82	128.56	2.98	0.00002	9.00		8.37	2.77
	L0011197	595452.85	356652.96	128.17	2.98	0.00002	9.00		8.37	2.77
	L0011198	595468.91	356661.09	127.77	2.98	0.00002	9.00		8.37	2.77
	L0011199	595484.97	356669.22	127.37	2.98	0.00002	9.00		8.37	2.77
	L0011200	595501.03	356677.35	126.97	2.98	0.00002	9.00		8.37	2.77
	L0011201	595517.09	356685.48	126.58	2.98	0.00002	9.00		8.37	2.77
	L0011202	595533.15	356693.61	126.18	2.98	0.00002	9.00		8.37	2.77
	L0011203	595549.87	356700.23	125.75	2.98	0.00002	9.00		8.37	2.77
	L0011204	595566.69	356706.65	125.33	2.98	0.00002	9.00		8.37	2.77
	L0011205	595583.51	356713.06	124.90	2.98	0.00002	9.00		8.37	2.77
	L0011206	595600.33	356719.47	124.47	2.98	0.00002	9.00		8.37	2.77
	L0011207	595617.15	356725.88	124.04	2.98	0.00002	9.00		8.37	2.77
	L0011208	595633.97	356732.29	123.61	2.98	0.00002	9.00		8.37	2.77
	L0011209	595650.79	356738.70	123.19	2.98	0.00002	9.00		8.37	2.77
	L0011210	595667.61	356745.11	122.76	2.98	0.00002	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimension [m]	Initial Vertical Dimension [m]
D1	L0011211	595684.43	356751.52	122.33	2.98	0.00002	9.00		8.37	2.77
	L0011212	595701.25	356757.94	121.90	2.98	0.00002	9.00		8.37	2.77
	L0011213	595718.07	356764.35	121.48	2.98	0.00002	9.00		8.37	2.77
	L0011214	595734.89	356770.76	121.05	2.98	0.00002	9.00		8.37	2.77
	L0011215	595751.71	356777.17	120.62	2.98	0.00002	9.00		8.37	2.77
	L0011216	595768.52	356783.58	120.19	2.98	0.00002	9.00		8.37	2.77
	L0011217	595785.34	356789.99	119.76	2.98	0.00002	9.00		8.37	2.77
	L0011218	595802.16	356796.40	119.34	2.98	0.00002	9.00		8.37	2.77
	L0011219	595818.98	356802.81	118.91	2.98	0.00002	9.00		8.37	2.77
	L0011220	595835.80	356809.23	118.48	2.98	0.00002	9.00		8.37	2.77
	L0011221	595852.62	356815.64	118.05	2.98	0.00002	9.00		8.37	2.77
	L0011222	595868.55	356823.91	117.69	2.98	0.00002	9.00		8.37	2.77
	L0011223	595884.08	356833.02	117.35	2.98	0.00002	9.00		8.37	2.77
	L0011224	595899.60	356842.12	117.02	2.98	0.00002	9.00		8.37	2.77
	L0011225	595915.13	356851.22	116.68	2.98	0.00002	9.00		8.37	2.77
	L0011226	595930.66	356860.33	116.34	2.98	0.00002	9.00		8.37	2.77
	L0011227	595946.19	356869.43	116.01	2.98	0.00002	9.00		8.37	2.77
	L0011228	595961.72	356878.53	115.67	2.98	0.00002	9.00		8.37	2.77
	L0011229	595977.25	356887.63	115.34	2.98	0.00002	9.00		8.37	2.77
	L0011230	595992.78	356896.74	115.00	2.98	0.00002	9.00		8.37	2.77
	L0011231	596008.30	356905.84	114.66	2.98	0.00002	9.00		8.37	2.77