

Source Pathway - Source Inputs

AERMOD

Area Sources

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Length of X Side [m]	Length of Y Side [m]	Orientation Angle from North [deg]	Initial Vertical Dim. [m]
AREA	A3	593610.01	355702.69	140.27	1.00	0,00075	5.06	3.89	-30.00	
		Pavulkalni - Apstrade sijasana								
AREA	A4	593592.94	355733.42	140.60	1.00	0,00064	5.06	3.89	-30.00	0.00
		Pavulkalni - Apstrade drupinasana								
AREA	B3	594633.73	355052.85	165.67	1.00	0,00014	5.06	3.89	-30.00	0.00
		Pavuli - Apstrade sijasana								
AREA	B4	594661.00	355053.18	165.19	1.00	0,00018	5.06	3.89	-30.00	0.00
		Pavuli - Apstrade drupinasana								
AREA	C3	595037.27	355305.56	144.88	1.00	0,00014	5.06	3.89	0.00	0.00
		Foreles - Apstrade sijasana								
AREA	C4	595067.98	355297.29	144.06	1.00	0,00036	5.06	3.89	0.00	0.00
		Foreles - Apstrade drupinasana								

Source Pathway - Source Inputs

AERMOD

Polygon Area Sources

Source Type: AREA POLY

Source: A1 (Pavulkalni - Ekskavatori un parkausana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
140.10	1.00	4.69E-7		8	593507.84	355708.18
		4.69E-7			593616.66	355749.57
		4.69E-7			593622.66	355729.95
		4.69E-7			593614.21	355586.24
		4.69E-7			593561.90	355592.23
		4.69E-7			593548.36	355624.25
		4.69E-7			593525.45	355668.76
		4.69E-7			593511.60	355702.11

Source Type: AREA POLY

Source: A5 (Pavulkalni - Uzglabasana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
140.03	1.00	3.57E-7	0.00	4	593512.38	355706.41
		3.57E-7			593585.14	355737.54
		3.57E-7			593610.35	355688.71
		3.57E-7			593533.97	355656.41

Source Pathway - Source Inputs

AERMOD

Source Type: AREA POLY

Source: A2 (Pavulkalni - frontlais iekravejs un parkausana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
140.10	1.00	3.34E-7	0.00	8	593507.84	355708.18
		3.34E-7			593616.66	355749.57
		3.34E-7			593622.66	355729.95
		3.34E-7			593614.21	355586.24
		3.34E-7			593561.90	355592.23
		3.34E-7			593548.36	355624.25
		3.34E-7			593525.45	355668.76
		3.34E-7			593511.60	355702.11

Source Type: AREA POLY

Source: C1 (Foreles - Ekskavators un parkausana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
141.94	1.00	5.63E-7		6	595164.97	355260.64
		5.63E-7			595116.27	355276.07
		5.63E-7			595021.10	355306.52
		5.63E-7			594942.60	355336.13
		5.63E-7			594960.19	355351.65
		5.63E-7			595167.18	355282.65

Source Type: AREA POLY

Source: C2 (Foreles - frontlais iekravejs un parkausana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
141.94	1.00	8.01E-7	0.00	6	595164.97	355260.64
		8.01E-7			595116.27	355276.07
		8.01E-7			595021.10	355306.52
		8.01E-7			594942.60	355336.13
		8.01E-7			594960.19	355351.65
		8.01E-7			595167.18	355282.65

Source Pathway - Source Inputs

AERMOD

Source Type: AREA POLY

Source: C5 (Foreles - segkarta)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
141.94	1.00	4.43E-6	0.00	6	595164.97	355260.64
		4.43E-6			595116.27	355276.07
		4.43E-6			595021.10	355306.52
		4.43E-6			594942.60	355336.13
		4.43E-6			594960.19	355351.65
		4.43E-6			595167.18	355282.65

Source Type: AREA POLY

Source: C8 (Foreles - Uzglabasana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
146.71	1.00	4.13E-7	0.00	5	595074.20	355258.97
		4.13E-7			595046.46	355269.32
		4.13E-7			595015.52	355279.52
		4.13E-7			595023.58	355302.75
		4.13E-7			595080.08	355285.97

Source Type: AREA POLY

Source: B1 (Pavuli - Ekskavatori un parkausana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
169.38	1.00	2.47E-7	0.00	8	594751.47	355072.97
		2.47E-7			594751.13	355062.47
		2.47E-7			594749.57	354898.14
		2.47E-7			594576.55	354895.05
		2.47E-7			594559.07	354941.59
		2.47E-7			594544.15	355012.92
		2.47E-7			594530.30	355070.04
		2.47E-7			594629.45	355070.10

Source Pathway - Source Inputs

AERMOD

Source Type: AREA POLY

Source: B6 (Pavuli - Uzglabasana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
161.85	1.00	8.57E-7	0.00	5	594747.74	355013.63
		8.57E-7			594705.70	355014.98
		8.57E-7			594674.26	355013.22
		8.57E-7			594671.09	355065.76
		8.57E-7			594745.86	355066.20

Source Type: AREA POLY

Source: B2 (Pavuli - frontalie un parkausana)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
169.38	1.00	2.34E-7	0.00	8	594751.47	355072.97
		2.34E-7			594751.13	355062.47
		2.34E-7			594749.57	354898.14
		2.34E-7			594576.55	354895.05
		2.34E-7			594559.07	354941.59
		2.34E-7			594544.15	355012.92
		2.34E-7			594530.30	355070.04
		2.34E-7			594629.45	355070.10

Source Pathway - Source Inputs

AERMOD

Line Volume Sources

Source Type: LINE VOLUME

Source: A6 (Pavulkalni - no atradnes uz P28)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0,01484		593562.70	355708.21	140.13	2.98
			593626.79	355744.02	140.91	2.98
			593692.06	355778.01	140.83	2.98
			593737.69	355805.53	140.91	2.98
			593775.82	355775.05	141.05	2.98
			593826.89	355732.95	142.26	2.98

Source Type: LINE VOLUME

Source: B5 (Pavuli - no atradnes uz V297)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0,05360		594648.56	355050.82	164.84	0.00
			594674.10	355184.33	169.13	0.00
			594596.73	355175.55	164.02	0.00
			594466.40	355176.15	154.29	0.00
			594428.81	355188.84	152.19	0.00
			594402.23	355202.75	151.82	0.00
			594331.98	355252.29	149.23	0.00
			594314.35	355273.48	147.08	0.00
			594307.62	355295.71	147.45	0.00

Source Pathway - Source Inputs

AERMOD

Source Type: LINE VOLUME

Source: C6 (Foreles no atradnes uz V297)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0,00174		595043.21	355272.98	146.43	0.00
			595014.51	355197.50	161.46	0.00
			595006.77	355172.97	162.02	0.00
			595003.23	355157.50	168.23	0.00
			594997.59	355139.98	168.75	0.00

Source Type: LINE VOLUME

Source: C7 (Foreles pa V297)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0,01048		594997.53	355136.46	168.84	2.98
			594951.17	355148.98	171.38	2.98
			594861.83	355186.13	174.10	2.98
			594720.32	355269.27	162.92	2.98
			594644.25	355306.42	162.80	2.98
			594562.88	355324.11	162.57	2.98
			594440.83	355340.91	135.82	2.98
			594409.59	355339.46	136.07	2.98
			594301.88	355305.04	147.19	2.98
			594232.07	355300.28	147.18	2.98
			593875.81	355275.79	150.09	2.98
			593574.65	355257.43	135.61	2.98

Source Pathway - Source Inputs

AERMOD

Source Type: LINE VOLUME

Source: D1 (Pavulkalni un Foreles pa P28)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
9.00	0,00037		592043.39	355463.10	124.16	2.98
			592280.20	355422.71	107.81	2.98
			592725.65	355371.44	110.73	2.98
			593020.48	355310.55	124.08	2.98
			593363.37	355259.27	134.41	2.98
			593565.26	355256.07	135.65	2.98
			593645.38	355393.87	138.69	2.98
			593796.00	355656.65	147.94	2.98
			593901.75	355845.72	141.58	2.98
			594004.30	355919.43	141.37	2.98
			594135.69	355951.48	141.01	2.98
			594318.35	355961.09	137.81	2.98
			594481.79	355980.32	135.73	2.98
			594642.02	356034.80	137.01	2.98
			594779.82	356134.14	130.77	2.98
			595059.66	356372.98	129.35	2.98
			595314.17	356582.74	126.90	2.98
			595535.12	356694.61	117.72	2.98
			595857.79	356817.61	113.34	2.98
			596021.90	356913.81	118.63	2.98

Source Pathway - Source Inputs

AERMOD

Volume Sources Generated from Line Sources

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0010934	592047.83	355462.34	125.42	2.98	1.45E-6	9.00		8.37	2.77
	L0010935	592065.57	355459.32	125.18	2.98	1.45E-6	9.00		8.37	2.77
	L0010936	592083.31	355456.29	124.03	2.98	1.45E-6	9.00		8.37	2.77
	L0010937	592101.06	355453.26	122.85	2.98	1.45E-6	9.00		8.37	2.77
	L0010938	592118.80	355450.24	121.62	2.98	1.45E-6	9.00		8.37	2.77
	L0010939	592136.54	355447.21	120.08	2.98	1.45E-6	9.00		8.37	2.77
	L0010940	592154.29	355444.19	118.55	2.98	1.45E-6	9.00		8.37	2.77
	L0010941	592172.03	355441.16	117.00	2.98	1.45E-6	9.00		8.37	2.77
	L0010942	592189.78	355438.13	115.44	2.98	1.45E-6	9.00		8.37	2.77
	L0010943	592207.52	355435.11	113.90	2.98	1.45E-6	9.00		8.37	2.77
	L0010944	592225.26	355432.08	112.18	2.98	1.45E-6	9.00		8.37	2.77
	L0010945	592243.01	355429.06	110.33	2.98	1.45E-6	9.00		8.37	2.77
	L0010946	592260.75	355426.03	108.56	2.98	1.45E-6	9.00		8.37	2.77
	L0010947	592278.50	355423.00	107.32	2.98	1.45E-6	9.00		8.37	2.77
	L0010948	592296.36	355420.85	106.30	2.98	1.45E-6	9.00		8.37	2.77
	L0010949	592314.25	355418.79	105.29	2.98	1.45E-6	9.00		8.37	2.77
	L0010950	592332.13	355416.73	104.89	2.98	1.45E-6	9.00		8.37	2.77
	L0010951	592350.01	355414.68	104.57	2.98	1.45E-6	9.00		8.37	2.77
	L0010952	592367.89	355412.62	104.25	2.98	1.45E-6	9.00		8.37	2.77
	L0010953	592385.77	355410.56	103.99	2.98	1.45E-6	9.00		8.37	2.77
	L0010954	592403.66	355408.50	103.74	2.98	1.45E-6	9.00		8.37	2.77
	L0010955	592421.54	355406.44	103.67	2.98	1.45E-6	9.00		8.37	2.77
	L0010956	592439.42	355404.38	104.00	2.98	1.45E-6	9.00		8.37	2.77
	L0010957	592457.30	355402.33	104.32	2.98	1.45E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0010958	592475.18	355400.27	104.50	2.98	1.45E-6	9.00		8.37	2.77
	L0010959	592493.06	355398.21	104.53	2.98	1.45E-6	9.00		8.37	2.77
	L0010960	592510.95	355396.15	104.57	2.98	1.45E-6	9.00		8.37	2.77
	L0010961	592528.83	355394.09	104.68	2.98	1.45E-6	9.00		8.37	2.77
	L0010962	592546.71	355392.03	104.84	2.98	1.45E-6	9.00		8.37	2.77
	L0010963	592564.59	355389.98	105.00	2.98	1.45E-6	9.00		8.37	2.77
	L0010964	592582.47	355387.92	105.39	2.98	1.45E-6	9.00		8.37	2.77
	L0010965	592600.36	355385.86	105.80	2.98	1.45E-6	9.00		8.37	2.77
	L0010966	592618.24	355383.80	106.20	2.98	1.45E-6	9.00		8.37	2.77
	L0010967	592636.12	355381.74	106.46	2.98	1.45E-6	9.00		8.37	2.77
	L0010968	592654.00	355379.68	106.71	2.98	1.45E-6	9.00		8.37	2.77
	L0010969	592671.88	355377.63	107.15	2.98	1.45E-6	9.00		8.37	2.77
	L0010970	592689.77	355375.57	108.07	2.98	1.45E-6	9.00		8.37	2.77
	L0010971	592707.65	355373.51	109.00	2.98	1.45E-6	9.00		8.37	2.77
	L0010972	592725.53	355371.45	110.03	2.98	1.45E-6	9.00		8.37	2.77
	L0010973	592743.16	355367.82	111.19	2.98	1.45E-6	9.00		8.37	2.77
	L0010974	592760.79	355364.18	112.36	2.98	1.45E-6	9.00		8.37	2.77
	L0010975	592778.42	355360.54	113.81	2.98	1.45E-6	9.00		8.37	2.77
	L0010976	592796.04	355356.90	115.44	2.98	1.45E-6	9.00		8.37	2.77
	L0010977	592813.67	355353.26	117.12	2.98	1.45E-6	9.00		8.37	2.77
	L0010978	592831.30	355349.62	118.48	2.98	1.45E-6	9.00		8.37	2.77
	L0010979	592848.93	355345.98	119.68	2.98	1.45E-6	9.00		8.37	2.77
	L0010980	592866.56	355342.34	120.78	2.98	1.45E-6	9.00		8.37	2.77
	L0010981	592884.18	355338.70	121.87	2.98	1.45E-6	9.00		8.37	2.77
	L0010982	592901.81	355335.06	122.96	2.98	1.45E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0010983	592919.44	355331.42	123.94	2.98	1.45E-6	9.00		8.37	2.77
	L0010984	592937.07	355327.77	124.30	2.98	1.45E-6	9.00		8.37	2.77
	L0010985	592954.70	355324.13	124.69	2.98	1.45E-6	9.00		8.37	2.77
	L0010986	592972.32	355320.49	124.88	2.98	1.45E-6	9.00		8.37	2.77
	L0010987	592989.95	355316.85	124.54	2.98	1.45E-6	9.00		8.37	2.77
	L0010988	593007.58	355313.21	124.27	2.98	1.45E-6	9.00		8.37	2.77
	L0010989	593025.25	355309.83	124.54	2.98	1.45E-6	9.00		8.37	2.77
	L0010990	593043.06	355307.17	125.30	2.98	1.45E-6	9.00		8.37	2.77
	L0010991	593060.86	355304.51	126.06	2.98	1.45E-6	9.00		8.37	2.77
	L0010992	593078.66	355301.85	127.06	2.98	1.45E-6	9.00		8.37	2.77
	L0010993	593096.46	355299.19	128.18	2.98	1.45E-6	9.00		8.37	2.77
	L0010994	593114.26	355296.52	129.29	2.98	1.45E-6	9.00		8.37	2.77
	L0010995	593132.07	355293.86	131.11	2.98	1.45E-6	9.00		8.37	2.77
	L0010996	593149.87	355291.20	132.99	2.98	1.45E-6	9.00		8.37	2.77
	L0010997	593167.67	355288.54	134.74	2.98	1.45E-6	9.00		8.37	2.77
	L0010998	593185.47	355285.88	135.32	2.98	1.45E-6	9.00		8.37	2.77
	L0010999	593203.28	355283.21	135.87	2.98	1.45E-6	9.00		8.37	2.77
	L0011000	593221.08	355280.55	136.15	2.98	1.45E-6	9.00		8.37	2.77
	L0011001	593238.88	355277.89	135.60	2.98	1.45E-6	9.00		8.37	2.77
	L0011002	593256.68	355275.23	135.04	2.98	1.45E-6	9.00		8.37	2.77
	L0011003	593274.48	355272.57	134.75	2.98	1.45E-6	9.00		8.37	2.77
	L0011004	593292.29	355269.90	134.84	2.98	1.45E-6	9.00		8.37	2.77
	L0011005	593310.09	355267.24	134.96	2.98	1.45E-6	9.00		8.37	2.77
	L0011006	593327.89	355264.58	134.86	2.98	1.45E-6	9.00		8.37	2.77
	L0011007	593345.69	355261.92	134.66	2.98	1.45E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011008	593363.50	355259.27	134.47	2.98	1.45E-6	9.00		8.37	2.77
	L0011009	593381.49	355258.99	134.48	2.98	1.45E-6	9.00		8.37	2.77
	L0011010	593399.49	355258.70	134.52	2.98	1.45E-6	9.00		8.37	2.77
	L0011011	593417.49	355258.42	134.56	2.98	1.45E-6	9.00		8.37	2.77
	L0011012	593435.49	355258.13	134.56	2.98	1.45E-6	9.00		8.37	2.77
	L0011013	593453.48	355257.84	134.56	2.98	1.45E-6	9.00		8.37	2.77
	L0011014	593471.48	355257.56	134.64	2.98	1.45E-6	9.00		8.37	2.77
	L0011015	593489.48	355257.27	135.00	2.98	1.45E-6	9.00		8.37	2.77
	L0011016	593507.48	355256.99	135.36	2.98	1.45E-6	9.00		8.37	2.77
	L0011017	593525.47	355256.70	135.55	2.98	1.45E-6	9.00		8.37	2.77
	L0011018	593543.47	355256.42	135.55	2.98	1.45E-6	9.00		8.37	2.77
	L0011019	593561.47	355256.13	135.55	2.98	1.45E-6	9.00		8.37	2.77
	L0011020	593572.40	355268.35	135.42	2.98	1.45E-6	9.00		8.37	2.77
	L0011021	593581.45	355283.91	135.25	2.98	1.45E-6	9.00		8.37	2.77
	L0011022	593590.50	355299.47	135.08	2.98	1.45E-6	9.00		8.37	2.77
	L0011023	593599.55	355315.03	135.24	2.98	1.45E-6	9.00		8.37	2.77
	L0011024	593608.59	355330.59	135.73	2.98	1.45E-6	9.00		8.37	2.77
	L0011025	593617.64	355346.16	136.28	2.98	1.45E-6	9.00		8.37	2.77
	L0011026	593626.69	355361.72	137.00	2.98	1.45E-6	9.00		8.37	2.77
	L0011027	593635.73	355377.28	137.70	2.98	1.45E-6	9.00		8.37	2.77
	L0011028	593644.78	355392.84	138.34	2.98	1.45E-6	9.00		8.37	2.77
	L0011029	593653.74	355408.45	138.77	2.98	1.45E-6	9.00		8.37	2.77
	L0011030	593662.69	355424.07	139.11	2.98	1.45E-6	9.00		8.37	2.77
	L0011031	593671.64	355439.69	139.45	2.98	1.45E-6	9.00		8.37	2.77
	L0011032	593680.59	355455.30	140.07	2.98	1.45E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011033	593689.54	355470.92	140.75	2.98	1.45E-6	9.00		8.37	2.77
	L0011034	593698.49	355486.54	141.49	2.98	1.45E-6	9.00		8.37	2.77
	L0011035	593707.45	355502.15	141.74	2.98	1.45E-6	9.00		8.37	2.77
	L0011036	593716.40	355517.77	141.74	2.98	1.45E-6	9.00		8.37	2.77
	L0011037	593725.35	355533.39	141.66	2.98	1.45E-6	9.00		8.37	2.77
	L0011038	593734.30	355549.00	141.72	2.98	1.45E-6	9.00		8.37	2.77
	L0011039	593743.25	355564.62	141.91	2.98	1.45E-6	9.00		8.37	2.77
	L0011040	593752.20	355580.24	142.20	2.98	1.45E-6	9.00		8.37	2.77
	L0011041	593761.15	355595.85	143.05	2.98	1.45E-6	9.00		8.37	2.77
	L0011042	593770.10	355611.47	144.10	2.98	1.45E-6	9.00		8.37	2.77
	L0011043	593779.05	355627.09	145.29	2.98	1.45E-6	9.00		8.37	2.77
	L0011044	593788.00	355642.70	146.49	2.98	1.45E-6	9.00		8.37	2.77
	L0011045	593796.94	355658.33	147.69	2.98	1.45E-6	9.00		8.37	2.77
	L0011046	593805.72	355674.04	148.79	2.98	1.45E-6	9.00		8.37	2.77
	L0011047	593814.51	355689.75	148.26	2.98	1.45E-6	9.00		8.37	2.77
	L0011048	593823.30	355705.46	147.50	2.98	1.45E-6	9.00		8.37	2.77
	L0011049	593832.08	355721.17	146.33	2.98	1.45E-6	9.00		8.37	2.77
	L0011050	593840.87	355736.88	145.01	2.98	1.45E-6	9.00		8.37	2.77
	L0011051	593849.66	355752.59	143.87	2.98	1.45E-6	9.00		8.37	2.77
	L0011052	593858.44	355768.30	143.11	2.98	1.45E-6	9.00		8.37	2.77
	L0011053	593867.23	355784.01	143.14	2.98	1.45E-6	9.00		8.37	2.77
	L0011054	593876.02	355799.72	143.11	2.98	1.45E-6	9.00		8.37	2.77
	L0011055	593884.81	355815.43	142.85	2.98	1.45E-6	9.00		8.37	2.77
	L0011056	593893.59	355831.13	142.37	2.98	1.45E-6	9.00		8.37	2.77
	L0011057	593902.79	355846.47	141.84	2.98	1.45E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011058	593917.41	355856.98	141.27	2.98	1.45E-6	9.00		8.37	2.77
	L0011059	593932.03	355867.48	140.88	2.98	1.45E-6	9.00		8.37	2.77
	L0011060	593946.64	355877.99	140.90	2.98	1.45E-6	9.00		8.37	2.77
	L0011061	593961.26	355888.49	141.06	2.98	1.45E-6	9.00		8.37	2.77
	L0011062	593975.88	355899.00	141.35	2.98	1.45E-6	9.00		8.37	2.77
	L0011063	593990.49	355909.51	141.53	2.98	1.45E-6	9.00		8.37	2.77
	L0011064	594005.27	355919.67	141.57	2.98	1.45E-6	9.00		8.37	2.77
	L0011065	594022.75	355923.93	141.56	2.98	1.45E-6	9.00		8.37	2.77
	L0011066	594040.24	355928.20	141.63	2.98	1.45E-6	9.00		8.37	2.77
	L0011067	594057.73	355932.46	141.77	2.98	1.45E-6	9.00		8.37	2.77
	L0011068	594075.22	355936.73	141.88	2.98	1.45E-6	9.00		8.37	2.77
	L0011069	594092.70	355940.99	141.78	2.98	1.45E-6	9.00		8.37	2.77
	L0011070	594110.19	355945.26	141.47	2.98	1.45E-6	9.00		8.37	2.77
	L0011071	594127.68	355949.52	141.07	2.98	1.45E-6	9.00		8.37	2.77
	L0011072	594145.43	355951.99	140.94	2.98	1.45E-6	9.00		8.37	2.77
	L0011073	594163.41	355952.94	140.96	2.98	1.45E-6	9.00		8.37	2.77
	L0011074	594181.38	355953.88	140.99	2.98	1.45E-6	9.00		8.37	2.77
	L0011075	594199.36	355954.83	140.37	2.98	1.45E-6	9.00		8.37	2.77
	L0011076	594217.33	355955.77	139.60	2.98	1.45E-6	9.00		8.37	2.77
	L0011077	594235.31	355956.72	138.82	2.98	1.45E-6	9.00		8.37	2.77
	L0011078	594253.28	355957.67	138.09	2.98	1.45E-6	9.00		8.37	2.77
	L0011079	594271.26	355958.61	137.36	2.98	1.45E-6	9.00		8.37	2.77
	L0011080	594289.23	355959.56	136.87	2.98	1.45E-6	9.00		8.37	2.77
	L0011081	594307.21	355960.50	137.14	2.98	1.45E-6	9.00		8.37	2.77
	L0011082	594325.14	355961.89	137.39	2.98	1.45E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011083	594343.02	355963.99	137.56	2.98	1.45E-6	9.00		8.37	2.77
	L0011084	594360.90	355966.10	137.66	2.98	1.45E-6	9.00		8.37	2.77
	L0011085	594378.77	355968.20	137.71	2.98	1.45E-6	9.00		8.37	2.77
	L0011086	594396.65	355970.30	137.51	2.98	1.45E-6	9.00		8.37	2.77
	L0011087	594414.53	355972.41	137.18	2.98	1.45E-6	9.00		8.37	2.77
	L0011088	594432.40	355974.51	136.87	2.98	1.45E-6	9.00		8.37	2.77
	L0011089	594450.28	355976.61	136.41	2.98	1.45E-6	9.00		8.37	2.77
	L0011090	594468.16	355978.71	135.95	2.98	1.45E-6	9.00		8.37	2.77
	L0011091	594485.84	355981.69	135.53	2.98	1.45E-6	9.00		8.37	2.77
	L0011092	594502.88	355987.49	135.94	2.98	1.45E-6	9.00		8.37	2.77
	L0011093	594519.92	355993.28	136.32	2.98	1.45E-6	9.00		8.37	2.77
	L0011094	594536.96	355999.08	136.65	2.98	1.45E-6	9.00		8.37	2.77
	L0011095	594554.00	356004.87	136.94	2.98	1.45E-6	9.00		8.37	2.77
	L0011096	594571.05	356010.66	137.19	2.98	1.45E-6	9.00		8.37	2.77
	L0011097	594588.09	356016.46	137.37	2.98	1.45E-6	9.00		8.37	2.77
	L0011098	594605.13	356022.25	137.19	2.98	1.45E-6	9.00		8.37	2.77
	L0011099	594622.17	356028.05	136.96	2.98	1.45E-6	9.00		8.37	2.77
	L0011100	594639.21	356033.84	136.65	2.98	1.45E-6	9.00		8.37	2.77
	L0011101	594654.22	356043.59	136.34	2.98	1.45E-6	9.00		8.37	2.77
	L0011102	594668.82	356054.11	135.92	2.98	1.45E-6	9.00		8.37	2.77
	L0011103	594683.42	356064.64	135.43	2.98	1.45E-6	9.00		8.37	2.77
	L0011104	594698.02	356075.17	134.44	2.98	1.45E-6	9.00		8.37	2.77
	L0011105	594712.62	356085.69	133.30	2.98	1.45E-6	9.00		8.37	2.77
	L0011106	594727.22	356096.22	132.28	2.98	1.45E-6	9.00		8.37	2.77
	L0011107	594741.82	356106.75	131.45	2.98	1.45E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011108	594756.43	356117.27	131.00	2.98	1.45E-6	9.00		8.37	2.77
	L0011109	594771.03	356127.80	130.65	2.98	1.45E-6	9.00		8.37	2.77
	L0011110	594785.27	356138.79	130.28	2.98	1.45E-6	9.00		8.37	2.77
	L0011111	594798.96	356150.47	129.85	2.98	1.45E-6	9.00		8.37	2.77
	L0011112	594812.65	356162.16	129.50	2.98	1.45E-6	9.00		8.37	2.77
	L0011113	594826.34	356173.84	129.30	2.98	1.45E-6	9.00		8.37	2.77
	L0011114	594840.03	356185.53	129.23	2.98	1.45E-6	9.00		8.37	2.77
	L0011115	594853.72	356197.21	129.12	2.98	1.45E-6	9.00		8.37	2.77
	L0011116	594867.41	356208.90	128.99	2.98	1.45E-6	9.00		8.37	2.77
	L0011117	594881.11	356220.58	128.86	2.98	1.45E-6	9.00		8.37	2.77
	L0011118	594894.80	356232.27	128.77	2.98	1.45E-6	9.00		8.37	2.77
	L0011119	594908.49	356243.95	128.91	2.98	1.45E-6	9.00		8.37	2.77
	L0011120	594922.18	356255.64	129.05	2.98	1.45E-6	9.00		8.37	2.77
	L0011121	594935.87	356267.32	129.19	2.98	1.45E-6	9.00		8.37	2.77
	L0011122	594949.56	356279.01	129.30	2.98	1.45E-6	9.00		8.37	2.77
	L0011123	594963.25	356290.70	129.43	2.98	1.45E-6	9.00		8.37	2.77
	L0011124	594976.95	356302.38	129.62	2.98	1.45E-6	9.00		8.37	2.77
	L0011125	594990.64	356314.07	129.76	2.98	1.45E-6	9.00		8.37	2.77
	L0011126	595004.33	356325.75	129.70	2.98	1.45E-6	9.00		8.37	2.77
	L0011127	595018.02	356337.44	129.57	2.98	1.45E-6	9.00		8.37	2.77
	L0011128	595031.71	356349.12	129.44	2.98	1.45E-6	9.00		8.37	2.77
	L0011129	595045.40	356360.81	129.31	2.98	1.45E-6	9.00		8.37	2.77
	L0011130	595059.09	356372.49	129.90	2.98	1.45E-6	9.00		8.37	2.77
	L0011131	595072.98	356383.95	130.61	2.98	1.45E-6	9.00		8.37	2.77
	L0011132	595086.87	356395.40	131.39	2.98	1.45E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011133	595100.76	356406.85	131.86	2.98	1.45E-6	9.00		8.37	2.77
	L0011134	595114.65	356418.29	131.91	2.98	1.45E-6	9.00		8.37	2.77
	L0011135	595128.54	356429.74	131.88	2.98	1.45E-6	9.00		8.37	2.77
	L0011136	595142.43	356441.19	131.79	2.98	1.45E-6	9.00		8.37	2.77
	L0011137	595156.32	356452.64	131.65	2.98	1.45E-6	9.00		8.37	2.77
	L0011138	595170.21	356464.09	131.62	2.98	1.45E-6	9.00		8.37	2.77
	L0011139	595184.10	356475.53	131.73	2.98	1.45E-6	9.00		8.37	2.77
	L0011140	595197.99	356486.98	131.81	2.98	1.45E-6	9.00		8.37	2.77
	L0011141	595211.88	356498.43	131.13	2.98	1.45E-6	9.00		8.37	2.77
	L0011142	595225.77	356509.88	130.46	2.98	1.45E-6	9.00		8.37	2.77
	L0011143	595239.66	356521.33	129.85	2.98	1.45E-6	9.00		8.37	2.77
	L0011144	595253.55	356532.78	129.31	2.98	1.45E-6	9.00		8.37	2.77
	L0011145	595267.44	356544.22	128.70	2.98	1.45E-6	9.00		8.37	2.77
	L0011146	595281.33	356555.67	128.03	2.98	1.45E-6	9.00		8.37	2.77
	L0011147	595295.22	356567.12	127.29	2.98	1.45E-6	9.00		8.37	2.77
	L0011148	595309.11	356578.57	126.74	2.98	1.45E-6	9.00		8.37	2.77
	L0011149	595324.38	356587.91	126.25	2.98	1.45E-6	9.00		8.37	2.77
	L0011150	595340.44	356596.04	125.71	2.98	1.45E-6	9.00		8.37	2.77
	L0011151	595356.50	356604.17	125.11	2.98	1.45E-6	9.00		8.37	2.77
	L0011152	595372.56	356612.30	124.45	2.98	1.45E-6	9.00		8.37	2.77
	L0011153	595388.62	356620.43	123.74	2.98	1.45E-6	9.00		8.37	2.77
	L0011154	595404.67	356628.56	122.99	2.98	1.45E-6	9.00		8.37	2.77
	L0011155	595420.73	356636.69	122.40	2.98	1.45E-6	9.00		8.37	2.77
	L0011156	595436.79	356644.82	121.81	2.98	1.45E-6	9.00		8.37	2.77
	L0011157	595452.85	356652.96	121.22	2.98	1.45E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011158	595468.91	356661.09	120.67	2.98	1.45E-6	9.00		8.37	2.77
	L0011159	595484.97	356669.22	120.19	2.98	1.45E-6	9.00		8.37	2.77
	L0011160	595501.03	356677.35	119.67	2.98	1.45E-6	9.00		8.37	2.77
	L0011161	595517.09	356685.48	119.08	2.98	1.45E-6	9.00		8.37	2.77
	L0011162	595533.15	356693.61	118.43	2.98	1.45E-6	9.00		8.37	2.77
	L0011163	595549.87	356700.23	117.76	2.98	1.45E-6	9.00		8.37	2.77
	L0011164	595566.69	356706.65	117.18	2.98	1.45E-6	9.00		8.37	2.77
	L0011165	595583.51	356713.06	116.73	2.98	1.45E-6	9.00		8.37	2.77
	L0011166	595600.33	356719.47	116.38	2.98	1.45E-6	9.00		8.37	2.77
	L0011167	595617.15	356725.88	116.01	2.98	1.45E-6	9.00		8.37	2.77
	L0011168	595633.97	356732.29	115.61	2.98	1.45E-6	9.00		8.37	2.77
	L0011169	595650.79	356738.70	115.20	2.98	1.45E-6	9.00		8.37	2.77
	L0011170	595667.61	356745.11	114.57	2.98	1.45E-6	9.00		8.37	2.77
	L0011171	595684.43	356751.52	113.92	2.98	1.45E-6	9.00		8.37	2.77
	L0011172	595701.25	356757.94	113.42	2.98	1.45E-6	9.00		8.37	2.77
	L0011173	595718.07	356764.35	113.15	2.98	1.45E-6	9.00		8.37	2.77
	L0011174	595734.89	356770.76	112.97	2.98	1.45E-6	9.00		8.37	2.77
	L0011175	595751.71	356777.17	112.78	2.98	1.45E-6	9.00		8.37	2.77
	L0011176	595768.52	356783.58	112.63	2.98	1.45E-6	9.00		8.37	2.77
	L0011177	595785.34	356789.99	112.43	2.98	1.45E-6	9.00		8.37	2.77
	L0011178	595802.16	356796.40	112.12	2.98	1.45E-6	9.00		8.37	2.77
	L0011179	595818.98	356802.81	112.22	2.98	1.45E-6	9.00		8.37	2.77
	L0011180	595835.80	356809.23	112.56	2.98	1.45E-6	9.00		8.37	2.77
	L0011181	595852.62	356815.64	112.89	2.98	1.45E-6	9.00		8.37	2.77
	L0011182	595868.55	356823.91	113.73	2.98	1.45E-6	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
D1	L0011183	595884.08	356833.02	114.99	2.98	1.45E-6	9.00		8.37	2.77
	L0011184	595899.60	356842.12	116.01	2.98	1.45E-6	9.00		8.37	2.77
	L0011185	595915.13	356851.22	116.22	2.98	1.45E-6	9.00		8.37	2.77
	L0011186	595930.66	356860.33	115.87	2.98	1.45E-6	9.00		8.37	2.77
	L0011187	595946.19	356869.43	115.96	2.98	1.45E-6	9.00		8.37	2.77
	L0011188	595961.72	356878.53	116.38	2.98	1.45E-6	9.00		8.37	2.77
	L0011189	595977.25	356887.63	116.49	2.98	1.45E-6	9.00		8.37	2.77
	L0011190	595992.78	356896.74	116.85	2.98	1.45E-6	9.00		8.37	2.77
	L0011191	596008.30	356905.84	117.45	2.98	1.45E-6	9.00		8.37	2.77

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
B5	L0011192	594649.41	355055.24	165.44	0.00	0,00173	9.00		8.37	2.77
	L0011193	594652.79	355072.92	165.97	0.00	0,00173	9.00		8.37	2.77
	L0011194	594656.17	355090.60	166.74	0.00	0,00173	9.00		8.37	2.77
	L0011195	594659.55	355108.28	167.39	0.00	0,00173	9.00		8.37	2.77
	L0011196	594662.94	355125.96	167.82	0.00	0,00173	9.00		8.37	2.77
	L0011197	594666.32	355143.64	168.25	0.00	0,00173	9.00		8.37	2.77
	L0011198	594669.70	355161.32	168.68	0.00	0,00173	9.00		8.37	2.77
	L0011199	594673.08	355179.00	169.21	0.00	0,00173	9.00		8.37	2.77
	L0011200	594661.61	355182.91	168.23	0.00	0,00173	9.00		8.37	2.77
	L0011201	594643.72	355180.88	166.78	0.00	0,00173	9.00		8.37	2.77
	L0011202	594625.84	355178.85	165.34	0.00	0,00173	9.00		8.37	2.77
	L0011203	594607.95	355176.82	164.32	0.00	0,00173	9.00		8.37	2.77
	L0011204	594590.03	355175.58	163.52	0.00	0,00173	9.00		8.37	2.77
	L0011205	594572.03	355175.66	162.73	0.00	0,00173	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
B5	L0011206	594554.03	355175.75	160.82	0.00	0,00173	9.00		8.37	2.77
	L0011207	594536.03	355175.83	158.73	0.00	0,00173	9.00		8.37	2.77
	L0011208	594518.03	355175.91	156.71	0.00	0,00173	9.00		8.37	2.77
	L0011209	594500.03	355175.99	155.41	0.00	0,00173	9.00		8.37	2.77
	L0011210	594482.03	355176.07	154.11	0.00	0,00173	9.00		8.37	2.77
	L0011211	594464.15	355176.90	153.03	0.00	0,00173	9.00		8.37	2.77
	L0011212	594447.10	355182.66	152.62	0.00	0,00173	9.00		8.37	2.77
	L0011213	594430.04	355188.42	152.17	0.00	0,00173	9.00		8.37	2.77
	L0011214	594414.02	355196.58	151.86	0.00	0,00173	9.00		8.37	2.77
	L0011215	594398.39	355205.46	150.36	0.00	0,00173	9.00		8.37	2.77
	L0011216	594383.68	355215.83	148.97	0.00	0,00173	9.00		8.37	2.77
	L0011217	594368.97	355226.20	147.91	0.00	0,00173	9.00		8.37	2.77
	L0011218	594354.26	355236.57	147.54	0.00	0,00173	9.00		8.37	2.77
	L0011219	594339.55	355246.95	147.69	0.00	0,00173	9.00		8.37	2.77
	L0011220	594326.39	355259.00	148.18	0.00	0,00173	9.00		8.37	2.77
	L0011221	594314.88	355272.84	148.30	0.00	0,00173	9.00		8.37	2.77
	L0011222	594309.38	355289.91	147.80	0.00	0,00173	9.00		8.37	2.77

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
A6	L0011223	593566.63	355710.40	140.20	2.98	0,00082	9.00		8.37	2.77
	L0011224	593582.34	355719.18	140.44	2.98	0,00082	9.00		8.37	2.77
	L0011225	593598.05	355727.96	140.54	2.98	0,00082	9.00		8.37	2.77
	L0011226	593613.77	355736.74	140.64	2.98	0,00082	9.00		8.37	2.77
	L0011227	593629.52	355745.44	140.73	2.98	0,00082	9.00		8.37	2.77
	L0011228	593645.49	355753.75	140.77	2.98	0,00082	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
A6	L0011229	593661.45	355762.07	140.88	2.98	0,00082	9.00		8.37	2.77
	L0011230	593677.42	355770.38	140.98	2.98	0,00082	9.00		8.37	2.77
	L0011231	593693.34	355778.78	140.92	2.98	0,00082	9.00		8.37	2.77
	L0011232	593708.75	355788.07	140.91	2.98	0,00082	9.00		8.37	2.77
	L0011233	593724.16	355797.37	140.97	2.98	0,00082	9.00		8.37	2.77
	L0011234	593739.41	355804.16	141.00	2.98	0,00082	9.00		8.37	2.77
	L0011235	593753.47	355792.92	141.00	2.98	0,00082	9.00		8.37	2.77
	L0011236	593767.53	355781.68	141.00	2.98	0,00082	9.00		8.37	2.77
	L0011237	593781.52	355770.35	141.05	2.98	0,00082	9.00		8.37	2.77
	L0011238	593795.41	355758.90	141.83	2.98	0,00082	9.00		8.37	2.77
	L0011239	593809.30	355747.45	143.09	2.98	0,00082	9.00		8.37	2.77
	L0011240	593823.19	355736.00	144.63	2.98	0,00082	9.00		8.37	2.77

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
C6	L0011241	595041.61	355268.77	147.24	0.00	0,00022	9.00		8.37	2.77
	L0011242	595035.22	355251.95	149.90	0.00	0,00022	9.00		8.37	2.77
	L0011243	595028.82	355235.12	152.73	0.00	0,00022	9.00		8.37	2.77
	L0011244	595022.42	355218.30	155.74	0.00	0,00022	9.00		8.37	2.77
	L0011245	595016.02	355201.47	158.95	0.00	0,00022	9.00		8.37	2.77
	L0011246	595010.38	355184.39	162.24	0.00	0,00022	9.00		8.37	2.77
	L0011247	595005.43	355167.09	163.92	0.00	0,00022	9.00		8.37	2.77
	L0011248	595000.73	355149.73	165.39	0.00	0,00022	9.00		8.37	2.77

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
----------------	------------------	------------------	------------------	--------------------	--------------------	---------------------	--------------------	---------------------	-------------------------------	--------------------------------

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
C7	L0011249	594993.19	355137.63	166.68	2.98	0,00013	9.00		8.37	2.77
	L0011250	594975.81	355142.33	167.91	2.98	0,00013	9.00		8.37	2.77
	L0011251	594958.43	355147.02	169.09	2.98	0,00013	9.00		8.37	2.77
	L0011252	594941.49	355153.00	170.16	2.98	0,00013	9.00		8.37	2.77
	L0011253	594924.87	355159.92	171.23	2.98	0,00013	9.00		8.37	2.77
	L0011254	594908.25	355166.83	172.00	2.98	0,00013	9.00		8.37	2.77
	L0011255	594891.63	355173.74	172.78	2.98	0,00013	9.00		8.37	2.77
	L0011256	594875.01	355180.65	173.70	2.98	0,00013	9.00		8.37	2.77
	L0011257	594858.62	355188.02	174.58	2.98	0,00013	9.00		8.37	2.77
	L0011258	594843.10	355197.14	174.14	2.98	0,00013	9.00		8.37	2.77
	L0011259	594827.58	355206.25	173.64	2.98	0,00013	9.00		8.37	2.77
	L0011260	594812.06	355215.37	172.63	2.98	0,00013	9.00		8.37	2.77
	L0011261	594796.54	355224.49	171.35	2.98	0,00013	9.00		8.37	2.77
	L0011262	594781.02	355233.61	170.13	2.98	0,00013	9.00		8.37	2.77
	L0011263	594765.50	355242.73	168.79	2.98	0,00013	9.00		8.37	2.77
	L0011264	594749.98	355251.84	167.28	2.98	0,00013	9.00		8.37	2.77
	L0011265	594734.46	355260.96	165.89	2.98	0,00013	9.00		8.37	2.77
	L0011266	594718.88	355269.97	164.54	2.98	0,00013	9.00		8.37	2.77
	L0011267	594702.71	355277.87	163.18	2.98	0,00013	9.00		8.37	2.77
	L0011268	594686.54	355285.77	162.19	2.98	0,00013	9.00		8.37	2.77
	L0011269	594670.36	355293.67	161.74	2.98	0,00013	9.00		8.37	2.77
	L0011270	594654.19	355301.57	162.15	2.98	0,00013	9.00		8.37	2.77
	L0011271	594637.47	355307.89	162.83	2.98	0,00013	9.00		8.37	2.77
	L0011272	594619.88	355311.72	163.69	2.98	0,00013	9.00		8.37	2.77
	L0011273	594602.29	355315.54	164.47	2.98	0,00013	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
C7	L0011274	594584.70	355319.36	165.25	2.98	0,00013	9.00		8.37	2.77
	L0011275	594567.11	355323.19	164.30	2.98	0,00013	9.00		8.37	2.77
	L0011276	594549.34	355325.97	159.47	2.98	0,00013	9.00		8.37	2.77
	L0011277	594531.51	355328.43	154.55	2.98	0,00013	9.00		8.37	2.77
	L0011278	594513.67	355330.88	149.56	2.98	0,00013	9.00		8.37	2.77
	L0011279	594495.84	355333.34	144.52	2.98	0,00013	9.00		8.37	2.77
	L0011280	594478.01	355335.79	139.49	2.98	0,00013	9.00		8.37	2.77
	L0011281	594460.18	355338.25	137.03	2.98	0,00013	9.00		8.37	2.77
	L0011282	594442.35	355340.70	135.65	2.98	0,00013	9.00		8.37	2.77
	L0011283	594424.38	355340.15	134.38	2.98	0,00013	9.00		8.37	2.77
	L0011284	594406.55	355338.48	135.28	2.98	0,00013	9.00		8.37	2.77
	L0011285	594389.40	355333.01	136.67	2.98	0,00013	9.00		8.37	2.77
	L0011286	594372.25	355327.53	138.15	2.98	0,00013	9.00		8.37	2.77
	L0011287	594355.11	355322.05	140.61	2.98	0,00013	9.00		8.37	2.77
	L0011288	594337.96	355316.57	143.20	2.98	0,00013	9.00		8.37	2.77
	L0011289	594320.82	355311.09	145.85	2.98	0,00013	9.00		8.37	2.77
	L0011290	594303.67	355305.61	146.34	2.98	0,00013	9.00		8.37	2.77
	L0011291	594285.80	355303.94	146.36	2.98	0,00013	9.00		8.37	2.77
	L0011292	594267.84	355302.72	146.34	2.98	0,00013	9.00		8.37	2.77
	L0011293	594249.88	355301.49	146.51	2.98	0,00013	9.00		8.37	2.77
	L0011294	594231.92	355300.27	146.65	2.98	0,00013	9.00		8.37	2.77
	L0011295	594213.96	355299.04	147.30	2.98	0,00013	9.00		8.37	2.77
	L0011296	594196.01	355297.80	148.78	2.98	0,00013	9.00		8.37	2.77
	L0011297	594178.05	355296.57	150.28	2.98	0,00013	9.00		8.37	2.77
	L0011298	594160.09	355295.33	152.22	2.98	0,00013	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
C7	L0011299	594142.13	355294.10	154.38	2.98	0,00013	9.00		8.37	2.77
	L0011300	594124.18	355292.86	156.40	2.98	0,00013	9.00		8.37	2.77
	L0011301	594106.22	355291.63	156.72	2.98	0,00013	9.00		8.37	2.77
	L0011302	594088.26	355290.40	156.56	2.98	0,00013	9.00		8.37	2.77
	L0011303	594070.30	355289.16	156.38	2.98	0,00013	9.00		8.37	2.77
	L0011304	594052.35	355287.93	155.53	2.98	0,00013	9.00		8.37	2.77
	L0011305	594034.39	355286.69	154.68	2.98	0,00013	9.00		8.37	2.77
	L0011306	594016.43	355285.46	153.90	2.98	0,00013	9.00		8.37	2.77
	L0011307	593998.47	355284.23	153.46	2.98	0,00013	9.00		8.37	2.77
	L0011308	593980.51	355282.99	153.03	2.98	0,00013	9.00		8.37	2.77
	L0011309	593962.56	355281.76	152.45	2.98	0,00013	9.00		8.37	2.77
	L0011310	593944.60	355280.52	151.61	2.98	0,00013	9.00		8.37	2.77
	L0011311	593926.64	355279.29	150.77	2.98	0,00013	9.00		8.37	2.77
	L0011312	593908.68	355278.05	149.89	2.98	0,00013	9.00		8.37	2.77
	L0011313	593890.73	355276.82	148.96	2.98	0,00013	9.00		8.37	2.77
	L0011314	593872.77	355275.61	148.02	2.98	0,00013	9.00		8.37	2.77
	L0011315	593854.80	355274.51	146.75	2.98	0,00013	9.00		8.37	2.77
	L0011316	593836.83	355273.42	145.42	2.98	0,00013	9.00		8.37	2.77
	L0011317	593818.87	355272.32	144.11	2.98	0,00013	9.00		8.37	2.77
	L0011318	593800.90	355271.23	142.70	2.98	0,00013	9.00		8.37	2.77
	L0011319	593782.93	355270.13	141.34	2.98	0,00013	9.00		8.37	2.77
	L0011320	593764.97	355269.04	140.13	2.98	0,00013	9.00		8.37	2.77
	L0011321	593747.00	355267.94	139.39	2.98	0,00013	9.00		8.37	2.77
	L0011322	593729.03	355266.84	138.64	2.98	0,00013	9.00		8.37	2.77
	L0011323	593711.07	355265.75	137.95	2.98	0,00013	9.00		8.37	2.77

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
C7	L0011324	593693.10	355264.65	137.36	2.98	0,00013	9.00		8.37	2.77
	L0011325	593675.13	355263.56	136.78	2.98	0,00013	9.00		8.37	2.77
	L0011326	593657.17	355262.46	136.31	2.98	0,00013	9.00		8.37	2.77
	L0011327	593639.20	355261.37	135.92	2.98	0,00013	9.00		8.37	2.77
	L0011328	593621.23	355260.27	135.56	2.98	0,00013	9.00		8.37	2.77
	L0011329	593603.27	355259.18	135.51	2.98	0,00013	9.00		8.37	2.77
	L0011330	593585.30	355258.08	135.52	2.98	0,00013	9.00		8.37	2.77